Product Specifications









114EZDM

7-16 DIN Male EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable

General Specifications

Interface7-16 DIN MaleBody StyleStraightBrandEZfit®Mounting AngleStraight

Ordering Note

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 - 3300 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 1415.00 V
dc Test Voltage 4000 V
Outer Contact Resistance, maximum 0.80 mOhm
Inner Contact Resistance, maximum 1.50 mOhm
Insulation Resistance, minimum 5000 MOhm
Average Power 3.0 kW @ 900 MHz

Peak Power, maximum 40.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -130 dB

Product Specifications




114EZDM





Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Clamp Inner Contact Attachment Method Captivated Outer Contact Plating Trimetal Silver Inner Contact Plating Attachment Durability 25 cycles Interface Durability 500 cycles Interface Durability Method IEC 61169-4:9.5 Connector Retention Tensile Force 1334 N | 300 lbf Connector Retention Torque 8.13 N-m | 72.00 in lb Insertion Force 200.17 N | 45.00 lbf

Insertion Force Method

Pressurizable

Coupling Nut Proof Torque 24.86 N-m | 220.00 in lb Coupling Nut Retention Force 1000.85 N | 225.00 lbf Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Dimensions

Nominal Size 1-1/4 in

Environmental Specifications

IEC 61169-1:15.2.4

Product Specifications



ANDREW

POWERED BY

114EZDM

Operating Temperature Storage Temperature

-40 °C to +85 °C (-40 °F to +185 °F) -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth 1 m **Immersion Test Mating** Mated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66 Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
50-1000 MHz	1.03	38.00	
1000-1900 MHz	1.03	37.00	
1900-2200 MHz	1.03	36.00	
2200-2700 MHz	1.05	33.00	
2700-3300 MHz	1.07	30.00	

Regulatory Compliance/Certifications

Agency

Classification

RoHS 2011/65/EU Compliant by Exemption

China RoHS SJ/T 11364-2006 Above Maximum Concentration Value (MCV)

ISO 9001:2008 Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)