## **3M Scotch-Weld**<sup>™</sup> Foam Fast Cylinder Clear Spray Adhesive 74

## **Product Data Sheet**

Date: July 2013 Supersedes: New

Product Description	An extremely fast tacking industrial grade spray adhesive for bonding foam and fabric.	
Key Features	<ul> <li>Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics.</li> <li>Provides excellent coverage.</li> <li>Soft, non-dimpling glue lines.</li> </ul>	

## **Typical Properties**

Product	Foam Fast 74 Cylinder Adhesive
Base:	Synthetic Elastomer
Solids Content - (by wt.):	22%
Colour	Clear
Density	0.72 (g/cm <sup>3)</sup>
Viscosity:	N/A
Coverage (27 g/m <sup>2</sup> ) (dry wt.)	8.2 m <sup>2</sup> /kg (wet wt.)
Spray pattern	Lace
Dry time	30 s
Bonding range	30 s – 15 min
Shear Adhesion Failure Test - SAFT <sup>(1)</sup> :	94 °C
Flammable Solvent:	Yes
Flammable Propellant:	Yes

 $^{(1)}\mathsf{SAFT}$  Shear Adhesion Failure Test with birch plywood, 25mm overlap, 100 grams used, temperature start at 30 °C and ramped 10 °C e very 10 min until complete failure.

General Use Instructions	Do not use this product if you have not read or do not understand the Special Instructions (User's Guide)
Cold Weather Warning	Please follow the directions for use described in the Special Instructions (User's Guide)

Please follow the directions for use described in the Special Instructions (User's Guide)
Store product at $16^{\circ}$ – $27^{\circ}$ for maximum storage li fe. Higher temperatures reduce normal storage life. Lower temperatures may cause increased viscosity of a temporary nature. Rotate stock on a "first in-first out" basis. The units can be stored in the Shut Down modes referenced above or if the storage is of a longer term nature or transport, they could be shut down and the hose taken off.
When stored at the recommended conditions in original, unopened container, this product has a shelf life if 15 months from date of manufacture.
Refer to product label and Material Safety Data Sheet for health and safety information before using the product. For information please contact your local 3M Office. www.3M.com
Before you set-up and use the equipment please read the MSDS and the Cylinder Spray Adhesive Special Instructions (User's Guide) To request additional product information or to arrange for sales assistance, call 0870 6080050 Address correspondence to: 3M United Kingdom PLC, 3M House, 28 Great Jackson Street,
Manchester, M15 4PA
All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method or application. All questions of liability relating to this product are governed by the terms of the sale subject, where applicable, to the prevailing law

Values presented have been determined by standard test methods and are average values not to be used for specification purposes. Our recommendations on the use of our products are based on tests believed to be reliable but we would ask that you conduct your own tests to determine their suitability for your applications. This is because 3M cannot accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations

3M is a trademark the 3M Company.