Product Specifications





78EZNF

Type N Female EZfit® for 7/8 in FXL-780, AVA5-50, and AVA5-50FX cable

General Specifications

InterfaceN FemaleBody StyleStraightBrandEZfit®Mounting AngleStraight

Ordering Note CommScope® non-standard product

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 5000 MHz


Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V dc Test Voltage 2000 V


Outer Contact Resistance, maximum 2.00 mOhm Inner Contact Resistance, maximum 5000 MOhm Insulation Resistance, minimum 5000 MOhm Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB

Product Specifications



78EZNF

Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Clamp
Inner Contact Attachment Method Captivated
Outer Contact Plating Trimetal
Inner Contact Plating Silver
Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Connector Retention Tensile Force 1334 N | 300 lbf

Connector Retention Torque 8.13 N-m | 72.00 in lb

Insertion Force 66.72 N | 15.00 lbf

Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Pressurizable No

Dimensions

Nominal Size 7/8 in

Environmental Specifications

Operating Temperature $-40 \, ^{\circ}\text{C}$ to $+85 \, ^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \, ^{\circ}\text{F}$)
Storage Temperature $-55 \, ^{\circ}\text{C}$ to $+85 \, ^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \, ^{\circ}\text{F}$)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Product Specifications



78EZNF

Water Jetting Test Method IEC 60529:2001, IP66 Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
50-1000 MHz	1.02	40.00	
1000-1900 MHz	1.03	38.00	
1900-2200 MHz	1.04	34.00	
2200-2700 MHz	1.06	31.00	
2700-3600 MHz	1.07	30.00	
3600-5000 MHz	1.11	26.00	

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU

China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

0.05v freq (GHz) (not applicable for elliptical waveguide) Insertion Loss, typical