

Closet Connector Housing (CCH) Panel, ST® Compatible Adapters

Simplex, 12 F, 62.5 µm multimode (OM1)

CORNING

Corning Cable Systems Closet Connector Housing Panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® Solutions hardware products for a “one-size-fits-all” approach. Used with factory-installed or field-installable connectors, these panels provide inter-connect or cross-connect capability in a housing at main cross-connections, intermediate cross-connections, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and single-mode applications.

Features and Benefits

Universal design approach

One-size-fits-all LANscape® Solutions housings

Broadest range of fiber count and adapter types

Solutions for all needs

Colored icon labeling

Easy connector identification



Part Number: CCH-CP12-15T



Part Number: CCH-CP12-15T



Closet Connector Housing (CCH) Panel, ST[®] Compatible Adapters

Simplex, 12 F, 62.5 µm multimode (OM1)

CORNING

Specifications

General Specifications

Application	Enterprise Networks, Data Center
Product Type	Panels & Modules
Fiber Category	62.5 µm MM (OM1)

Design - Hardware

Fiber Count	12
Number of Adapters per Panel	12

Design Adapter

Adapter Housing Color	Beige
Adapter Housing Material	Metal
Adapter Type	ST [®] Compatible
Insert Material	Ceramic

Chemical Characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

Ordering Information

Order Number	CCH-CP12-15T
Product Description	Closet Connector Housing (CCH) Panel, ST [®] Compatible adapters, Simplex, 12 F, 62.5 µm multimode (OM1)

Shipping Information

Units per Delivery	1/1
Package Contents	CCH Adapter Panel with installation guide

Closet Connector Housing (CCH) Panel, ST[®] Compatible Adapters

Simplex, 12 F, 62.5 µm multimode (OM1)

The Corning logo consists of a solid blue square with the word "CORNING" in white, uppercase, sans-serif font centered within it.

CORNING

Notes

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.