

1. DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SHOWN.


2. MATERIAL:
HOUSING — ABS MOLDING COMPOUND, NATURAL.
EDGE CONNECTOR HOUSING — POLYESTER MOLDING COMPOUND, BLACK.
STRAIN RELIEF — POLYCARBONATE MOLDING COMPOUND, GRAY, FLAME RETARDED.
EDGE CONNECTOR TERMINALS — PHOSPHOR BRONZE WITH 1.27µm [.000050] MINIMUM GOLD PLATE OVER 1.27µm [.000050] MINIMUM NICKEL PLATE IN CONTACT AREA AND 3.05µm [.000120] MINIMUM MATTE TIN-LEAD IN WIRE TERMINATION AREA OVER m [.000050] MINIMUM NICKEL UNDERPLATE OVER REST OF TERMINAL.
SCREWS — ZINC PLATED CARBON STEEL.
DUST COVER — 0.26[.010] THICK, CLEAR PVC.

3. THIS KIT SHIPPED ASSEMBLED EXCEPT FOR STUFFER CAPS.

LOC		DIST		REVISIONS			
HM		00		REV	DESCRIPTION	DATE	OWN
				O	RLSD, NPR C96-208	25OCT96	TCS NJ
				A	REV ECD-11-024868	13DEC2011	LH RA

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
COPYRIGHT		ALL RIGHTS RESERVED.	

406090-1
PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. SPRINKLE 25OCT96	 TE Connectivity		NAME INSTALLATION KIT, LOW PROFILE, UNSHIELDED AMP COMMUNICATION OUTLET II		
DIMENSIONS: mm [INCHES]		CHK N. JONES 21JAN97					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. MILLER 21JAN97	PRODUCT SPEC		RESTRICTED TO		
0. PLC ± - 1. PLC ± - 2. PLC ± - 3. PLC ± - 4. PLC ± - ANGLES ± -		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A1			
FINISH		CUSTOMER DRAWING		CAGE CODE 00779			
				DRAWING NO 406090			
				SCALE 2:1			
				SHEET 1 OF 1			
				REV A			