Fiber Optic Adapter, LC Duplex

Reduced-Flange Mount, Ceramic Sleeve, 62.5 μ m multimode (OM1), beige



Corning Cable Systems offers a full line of factory- and field-installable adapters in a variety of mounting configurations to ensure compatibility with the housing, panel, outlet or faceplate being utilized. Supporting a variety of connector types, the adapters are ideal for cable assembly house and manufacturing environments and local area networks (LAN) at the workstation outlet.

Features and Benefits

Various mounting configurations

Ensures compatibility with housing, panel, or faceplate being utilized

Variety of colors

Supports TIA/EIA-568-B.3

Available with or without Corning logo

Allows for customization

Available with ceramic or metal alignment

Variety of applications



Standards

Approval and Listings TIA/EIA-604-10

Specifications

General Specifications	
Product Type	Fiber Optic Adapters
Fiber Category	62.5 μm MM (OM1)
Corning Logo	Yes
Packaging	Bulk Pack



Fiber Optic Adapter, LC Duplex

Reduced-Flange Mount, Ceramic Sleeve, 62.5 μm multimode (OM1), beige



Design Adapter	
Adapter Type	LC duplex
Adapter Style	Standard
Adapter Housing Material	Composite
Adapter Housing Color	Beige
Insert Material	Ceramic
Mounting Type	Reduced Flange
Clip	Integral

Chemical Characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/ EG

Ordering Information

Part Number	ADP-DLC0-CCKRC-CLS
Product Description	Fiber Optic Adapter, LC Duplex, Reduced-Flange Mount, Ceramic Sleeve, 62.5 µm multimode (OM1), beige

Shipping Information

Units per Delivery	50/1
Package Contents	50 adapters, LC Duplex



Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

