#### **ROC™** Furcation Kit

Outdoor, 1 F, 24 in



Corning Cable Systems ROC™ Cable Furcation Kit is specifically designed for the strain-relief and furcation of Corning Cable Systems ROC Cable. This furcation kit is ideal for those users who want to field install connectors in the field. The kit provides a compact, easy-to-install solution and requires no additional hardware or space than that needed for terminating tight-buffered cables.

#### **Features and Benefits**

Thread-on furcation body

No specialty tools or epoxy needed

Compact design

Flexible fiber routing capabilities

One-piece furcation body and tube design

Quick and easy installation

Optimized for field-installable connectors

Eliminates the need for slack storage in hardware





# **ROC™** Furcation Kit

Outdoor, 1 F, 24 in



## **Specifications**

General Specifications	
Fanout Type	ROC™ Furcation
Environment	Outdoor
Product Type	Fan-Out Kits

Design	
Cable Type	ROC™ Drop/SST Flat Drop
Fiber Count	1
Fan-Out Tubing Color	Blue

Mechanical Specifications - Fan-Out Kit	
Furcation Length	40 mm (1.6 in)
Tubing Length	609 mm (24 in)
Tubing Outer Diameter	0.9 mm

Mechanical Characteristics	
Dimensions (HxWxD)	21 cm x 28 cm x 0.32 cm (8.5 in x 11 in x 0.125 in)
Weight	0.07 kg (0.15 lb)
Weight	0.07 kg (0.15 lb)

Chemical Characteristics	
RoHS Free EG	ee of hazardous substances according to RoHS 2002/95/

## **Ordering Information**

Part Number	FAN-BT24-01-ROC
Product Description	ROC™ Furcation Kit, outdoor, 1 F, 24 in



## **ROC™** Furcation Kit

Outdoor, 1 F, 24 in



## **Shipping Information**

Units per Delivery	1/1
Package Contents	100 furcation bodies, 100 tube assemblies, 100 boots (900 $\mu\text{m})$



Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

