Lightguide Distribution Center (LDC) Connector Panel, LGX[®] Compatible, ST[®] Compatible adapters

CORNING

6 F, 62.5 µm multimode (OM1)

Corning Cable Systems offers a variety of connector panels and modules for use in LDC family connector housings and connector splice units. The panels are used with field-installable connectors or in applications where preconnectorized cables are routed directly to the LDC family housing. Panels and modules are available with a variety of adapter types and can be ordered with factoryinstalled pigtails. They are designed for use in LDC, LDS, LHS, LHR and LTS housings. You can also view EVO-348-EN for a full description of these additional housings.

Features and Benefits

Accommodates standard connector types Reduces inventory

Individual connector adapters Enable easy connector access

Integrated fiber routing and bend-radius protection Minimizes insertion loss



Specifications

General Specifications	
Application	Central Office, CATV environments, Carrier Networks
Product Type	Panels & Modules
Fiber Category	62.5 μm MM (OM1)

Design - Hardware	
Connector Configuration	ST [®] Compatible
Fiber Count	6
Housing Color	Platinum
Housing Type	LDC
Panel or Module Type	LDC

Design Adapter	
Adapter Type	ST [®] Compatible



Lightguide Distribution Center (LDC) Connector Panel, LGX[®] Compatible, ST[®] Compatible adapters

6 F, 62.5 µm multimode (OM1)

Ordering Information

Part Number	LDC-CP1P-15T
Product Description	Lightguide Distribution Center (LDC) Connector Panel, LGX [®] Compatible, ST [®] Compatible adapters, 6 F, 62.5 µm multi- mode (OM1)

Shipping Information

Units per Delivery

1/1

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks. Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

