

# Product Cut Sheet

## SERVICE PARTS FOR GF-SERIES GLOBALFRAME® CABINET SYSTEM

### Service Parts

Replace cabinet components or upgrade for new applications using the following service parts. The following service parts are available as replacement parts or to add additional versatility by adding components to meet application requirements.



#### Equipment Mounting Rails

Kit includes one pair of depth-adjustable 19"EIA square-punched equipment mounting rails and installation hardware.

- Punched with the industry-standard EIA/ECA-310-E Universal hole pattern with 1.75"H (44.45 mm) rack-mount spaces/units (U) which supports most rack-mount equipment
- Each rack-mount space/unit (U) is marked and numbered on the rails so you can quickly locate equipment
- Square-punched attachment points allow mounting hardware (cage nuts) with different threads at each U so you can change mounting hardware to match equipment mounting requirements
- All rails have attachment points for accessory snap-on plastic cable D-rings (Cable Ring Kits) to create a separate vertical pathway for managing cables
- The 750 mm and 800 mm wide models have cable pass-through ports that can be edge protected with accessory grommets or covered by a seal kit when not used to control airflow
- Select Equipment Mounting Rails to match cabinet width and rail height

Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
25025-700	25027-700	25026-700	For 42U Cabinets	29 (13.2)
25025-701	25027-701	25026-701	For 45U Cabinets	30 (13.6)
25025-702	25027-702	25026-702	For 48U Cabinets	32 (14.5)

Color is Black. Shipping Weights are for 800 mm part numbers.



Equipment Mounting Rails Installed


#### Side Panels

Includes two half-height solid side panels to cover one side of the cabinet. Each panel has a single locking latch and a connection point for a grounding and bonding strap (included with the cabinet).

- Select to match the height and depth of the cabinet

Part Number Cabinet Height			Description	Shipping Weight lb (kg)
42U	45U	48U		
25030-700	25030-704	25030-708	For 800 mm Deep Cabinets	38 (17.2)
25030-701	25030-705	25030-709	For 1000 mm Deep Cabinets	47 (21.3)
25030-702	25030-706	25030-710	For 1050 mm Deep Cabinets	49 (22.2)
25030-703	25030-707	25030-711	For 1200 mm Deep Cabinets	55 (24.9)

Color is Black. Shipping Weights are for 48U part numbers.



#### Front Door

Includes one perforated metal front door with hinges, a swing handle, a single-point latch and keyed lock and a connection point for a grounding and bonding strap (included with the cabinet).

- Select to match the width and height of the cabinet.

Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
25040-700	25040-703	25040-706	For 42U Cabinets	44 (20.0)
25040-701	25040-704	25040-707	For 45U Cabinets	46 (20.9)
25040-702	25040-705	25040-708	For 48U Cabinets	49 (22.2)

Color is Black. Shipping Weights are for 800 mm part numbers.



800-834-4969 in U.S. & Canada • [www.chatsworth.com](http://www.chatsworth.com)



CHATSWORTH PRODUCTS

+1-800-834-4969

[techsupport@chatsworth.com](mailto:techsupport@chatsworth.com)  
[www.chatsworth.com](http://www.chatsworth.com)

# Product Cut Sheet

## SERVICE PARTS FOR GF-SERIES GLOBALFRAME® CABINET SYSTEM

### Double Perforated Metal Rear Door

Includes one double perforated metal (vertically split) rear door with hinges, a swing handle, a two-point latch and keyed lock and two connection points for grounding and bonding straps (included with the cabinet).

- Select to match the width and height of the cabinet

Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
25050-700	25050-703	25050-706	For 42U Cabinets	44 (20.0)
25050-701	25050-704	25050-707	For 45U Cabinets	46 (20.9)
25050-702	25050-705	25050-708	For 48U Cabinets	49 (22.2)

Color is Black. Shipping Weights are for 800 mm part numbers.



### Solid Metal Rear Door

Includes one solid metal rear door with hinges, a swing handle, a single-point latch and keyed lock, rear door sealing kit and a connection point for a grounding and bonding strap (included with the cabinet).

- Select to match the width and height of the cabinet

Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
25060-700	25060-703	25060-706	For 42U Cabinets	59 (26.8)
25060-701	25060-704	25060-707	For 45U Cabinets	62 (28.1)
25060-702	25060-705	25060-708	For 48U Cabinets	66 (29.9)

Color is Black. Shipping Weights are for 800 mm part numbers.




### Replacement Fan Kit

The Replacement Fan Kit is a service part to replace broken or damaged fans on the Fan Top Panel Kit. It includes four fans in two housings and a power cord.

- Each fan housing has two 4.5" (114 mm) diameter fans capable of 100 CFM (170 CMH) each and an IEC C14 connector
- A detachable 15' L (5 m) power cord with dual C13 connectors and a molded NEMA 5-15P plug (115 VAC Fan) or IEC C-14 connector (230 VAC Fan) is included with the replacement fan kit.
- The fan assembly is UL Recognized
- Select the Replacement Fan Kit to match the required fan voltage

Part Number		Description	Shipping Weight lb (kg)
115 VAC	230 VAC		
25160-701	25160-702	Replacement Fan Kit	10 (4.5)

Color is Black.




### Standard PDU Bracket

Includes one pair of L-shaped brackets that attach to the cabinet's vertical frame (one of the corner posts) and provides top and bottom attachment points for CPI vertical power distribution units. One pair of brackets is included with each GF-Series GlobalFrame Cabinet.

- Includes one pair of L-shaped brackets and installation hardware
- Supports vertical PDUs for cabinets that have attachment points located either 64.75" (1645 mm) or 61.25" (1556 mm) apart and are 68.5"H (1740 mm) or 70.5"H (1791 mm)
- Supports two 2.2"W (56 mm) or narrower PDUs side-by-side or one 4.5"W (114 mm) PDU
- 4.5"W (114 mm), requires a minimum 7.0" (178 mm) mounting rail setback

Part Number	Description	Shipping Weight lb (kg)
25140-701	Standard PDU Bracket	1 (0.5)

Color is Black.



800-834-4969 in U.S. & Canada • [www.chatsworth.com](http://www.chatsworth.com)



CHATSWORTH PRODUCTS

+1-800-834-4969

[techsupport@chatsworth.com](mailto:techsupport@chatsworth.com)  
[www.chatsworth.com](http://www.chatsworth.com)


# Product Cut Sheet

## SERVICE PARTS FOR GF-SERIES GLOBALFRAME® CABINET SYSTEM

### Standard Top Panel

Includes one solid top panel with four cable access port knockouts (one per corner), four grommets and a connection point for a grounding and bonding strap (included with the cabinet).

- Dual spring button attachment to frame allows tool-less installation and removal (after removing shipping fasteners).
- Includes 2.8" (71 mm) round cable access ports in each corner with included rubber grommets to seal openings and four additional 2.8" (71 mm) round knockouts (one in each corner). Additional rubber grommets sold separately. The 2.8" (71 mm) round cable access ports can be removed entirely by removing the larger 3.8"W x 8.8"D (99 mm x 224 mm) rectangular knockouts. Snap-in brush cable seals for rectangular knockouts are sold separately.
- Includes holes to attach 12"W (300 mm) Cable Runway in parallel (side-to-side) orientation at the front or rear of the cabinet using the Cable Runway Elevation Kit (P/N 10506-X1X); the holes are covered with plugs
- Use accessory Grommets (P/N 35021-000, 2 each) for round cable ports and Cable Port Brush Kit (P/N 25190-001, 2 each) to cover rectangular knockouts (purchased separately)




Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
N/A	N/A	25080-708	For 800 mm Deep Cabinets	21 (9.5)
25080-701	25080-705	25080-709	For 1000 mm Deep Cabinets	25 (11.3)
25080-702	25080-706	25080-710	For 1050 mm Deep Cabinets	26 (11.8)
25080-703	25080-707	25080-711	For 1200 mm Deep Cabinets	29 (13.2)

Color is Black. Shipping Weights are for 800 mm part numbers.

### Vertical Exhaust Duct Top Panel

Includes one solid top panel with two cable access port knockouts (front corners) and a large opening for the exhaust duct (rear center), two grommets, a connection point for a grounding and bonding strap (included with the cabinet) and a Vertical Exhaust Duct.

- Can be installed/removed without hardware, pins secure the panel on the cabinet frame
- Includes holes to attach 12"W (300 mm) Cable Runway in parallel (side-to-side) orientation at the front of the cabinet using the Cable Runway Elevation Kit (P/N 10506-X1X); the holes are covered with plugs
- The Vertical Exhaust Duct is available in two height ranges: short, 20"-34"H (508 mm – 863 mm) or tall, 34"-60"H (863 mm – 1523 mm); duct is included with the cabinet, but is shipped partially assembled in a separate carton
- Use accessory Grommets (P/N 35021-000, 2 each) for round cable ports and Cable Port Brush Kit (P/N 25190-001, 2 each) to cover rectangular knockouts (purchased separately)



Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
20" - 34"H (508 mm - 863 mm) Duct				
25085-702	25085-706	25085-710	For 1050 mm Deep Cabinets	43 (19.5)
25085-703	25085-707	25085-711	For 1200 mm Deep Cabinets	46 (20.9)
34" - 60"H (863 mm - 1523 mm) Duct				
25087-702	25087-706	25087-710	For 1050 mm Deep Cabinets	59 (26.8)
25087-703	25087-707	25087-711	For 1200 mm Deep Cabinets	62 (28.1)

Color is Black. Shipping Weights are for 800 mm part numbers.

800-834-4969 in U.S. & Canada • [www.chatsworth.com](http://www.chatsworth.com)



CHATSWORTH PRODUCTS

**+1-800-834-4969**

[techsupport@chatsworth.com](mailto:techsupport@chatsworth.com)  
[www.chatsworth.com](http://www.chatsworth.com)

# Product Cut Sheet


## SERVICE PARTS FOR GF-SERIES GLOBALFRAME® CABINET SYSTEM

### Bottom Panel

The Bottom Panel prevents airflow from entering the bottom of the cabinet. The Bottom Panel has one 8.8"W x 3.9"D (224 mm x 99 mm) brush-sealed cable access port located near the rear center of the panel. Bottom panel is included with High-Density Cabinets with Vertical Exhaust Duct.

Part Number Cabinet Width			Description	Shipping Weight lb (kg)
600 mm	750 mm	800 mm		
N/A	N/A	25130-708	For 800 mm D Cabinets	19 (8.6)
25130-701	25130-705	25130-709	For 1000 mm D Cabinets	23 (10.4)
25130-702	25130-706	25130-710	For 1050 mm D Cabinets	24 (10.9)
25130-703	25130-707	25130-711	For 1200 mm D Cabinets	27 (12.2)

Color is Black. Shipping Weights are for 800 mm part numbers.




### Floor Mounting Kit

The Floor Mounting Kit includes four L-shaped brackets that are used to attach the cabinet frame to the building's structural floor. One Floor Mounting Kit is included with each GlobalFrame Cabinet.

- Includes four floor mount brackets and cabinet installation hardware
- The bracket has a .438"W x .625"D (11 mm x 16 mm) slot for 3/8" or M10 floor installation hardware; order floor installation hardware separately to match site requirements

Part Number	Description	Shipping Weight lb (kg)
25171-001	Floor Mounting Kit, Zinc	3 (1.4)




### Caster Kit

The Caster Kit includes four casters that allow the cabinet to be easily moved. One Caster Kit is included (installed) with each GlobalFrame Cabinet.

- Includes four casters (two fixed front, two full-swivel rear) and installation hardware
- Rated for 2250 lb (1020 kg) of equipment payload excluding the cabinet weight.

Part Number	Description	Shipping Weight lb (kg)
25230-001	Caster Kit, Zinc	8 (3.6)



### Baying Kit

The Baying Kit includes four plates and hardware to connect two GF-Series GlobalFrame Cabinets that are the same height and depth. One Baying Kit is included with each GF-Series GlobalFrame Cabinet.

- Includes four baying plates and installation hardware

Part Number	Description	Shipping Weight lb (kg)
25241-701	Baying Kit, Black	2 (0.9)



### Common Parts Kit

The Common Parts Kit includes four leveler feet, two screws for attaching a Ground Terminal Block to the cabinet, a pack of equipment mounting hardware (25 each M6 cage nuts and screws) and two keys for the locks on the cabinet's doors and side panels. One common Parts Kit is included with each GF-Series GlobalFrame Cabinet.

- Includes four leveler feet equipment installation hardware and two keys

Part Number	Description	Shipping Weight lb (kg)
25240-701	Common Parts Kit, Black	3 (1.4)



800-834-4969 in U.S. & Canada • [www.chatsworth.com](http://www.chatsworth.com)



CHATSWORTH PRODUCTS

©2013 Chatsworth Products, Inc. All rights reserved. CPI, CPI Passive Cooling, GlobalFrame, MegaFrame, Saf-T-Grip, Seismic Frame, SlimFrame, TeraFrame, Cube-IT Plus, Evolution, OnTrac, Velocity and QuadraRack are federally registered trademarks of Chatsworth Products. eConnect and Simply Efficient are trademarks of Chatsworth Products. All other trademarks belong to their respective companies. Rev.6 08/13