Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: XG 286

· Article number: 600512118

- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- · Application of the substance / the preparation LUBRICATING GREASE
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUCHS LUBRICANTS (UK) PLC.

New Century Street

Hanley

Stoke-on-Trent, Staffordshire, ST1 5HU

UK

e-mail: product.safety@fuchs-oil.com

- · Further information obtainable from: Product safety department.
- · Emergency telephone number:

Fuchs Lubricants (UK) Emergency telephone: (UK) 01782 203700

NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: A blend of highly refined mineral oils and multifunctional additives with thickener system.

· Dangerous components:		
	Highly refined mineral oil*	50-100%
	<b>♦</b> Asp. Tox. 1, H304	
	Zinc alkyl dithiophosphate	≤ 2.5%
EINECS: 272-028-3	Xi R41; <b>½</b> N R51/53	
	📀 Eye Dam. 1, H318; 🕸 Aquatic Chronic 2, H411	

(Contd. on page 2)

Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

Trade name: XG 286

(Contd. of page 1)

#### · Additional information:

Annex I Nota L applies to the base oil(s) in this product. Nota L - The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. For the wording of the listed phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water.

· After swallowing:

Wash mouth out with water

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- $\cdot \ Advice \ for \ firefighters$
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

 $\cdot$  Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

Trade name: XG 286

(Contd. of page 2)

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### Highly refined mineral oil\*

OEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:

Select PPE appropriate for the operations taking place taking into account the product properties.

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Avoid close or long term contact with the skin.

### · Respiratory protection:

Respiratory protection will be necessary only in special cases (e.g. formation of mists). A half or full face respirator with combined dust/organic vapour filter(s), or a Self-Contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Neoprene gloves

(Contd. on page 4)

Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

Trade name: XG 286

(Contd. of page 3)

· Not suitable are gloves made of the following materials:

Butyl rubber, BR Natural rubber, NR

· Eye protection: Goggles recommended during refilling · Body protection: Oil resistant protective clothing

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty Colour: Dark yellow Mineral-oil-like · Odour: Not determined. · Odour threshold:

Not determined. · pH-value:

· Change in condition

Melting point/Melting range: >140 °C **Boiling point/Boiling range:** Undetermined.

> 100 °C · Flash point:

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: >250 °C

· Decomposition temperature: Not determined.

Product is not selfigniting. · Self-igniting:

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Not determined. Lower: Not determined. Upper: Not determined.

· Vapour pressure:

· Density at 20 °C:  $0.9 \text{ g/cm}^3$ · Relative density Not determined. · Vapour density Not determined.

Not determined. · Evaporation rate

· Solubility in / Miscibility with

Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Naked flames, hot surfaces and other high temperature sources

(Contd. on page 5)

Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

Trade name: XG 286

(Contd. of page 4)

- · **Incompatible materials:** Strong oxidising agents.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability Inherently biodegradable
- **Behaviour in environmental systems:**
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Delivery of waste oil to offically authorized collectors only.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

## · European waste catalogue

12 01 12\* spent waxes and fats

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Dispose of packaging according to regulations on the disposal of packagings.

EWC 15 01 02 or 15 01 04

(Contd. on page 6)

Printing date 25.04.2013 Version number 5 Revision: 25.04.2013

Trade name: XG 286

(Contd. of page 5)

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

4 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable to packaged goods.
· Transport/Additional information:	Not dangerous according to the above specifications.

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 None
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This data sheet is a Safety Data Sheet in accordance with 1907/2006/EC - 453/2010/EC, Article 31.

For products which are not subject to classification according to EU lists, this data sheet is supplied on a voluntary basis.

#### · Relevant phrases

- The Hazard / Risk phrases shown below are for those component substances which are listed in section 3 and not necessarily for the finished formulation.
- Hazards are concentration dependent. Therefore for the hazard classification and risk/safety phrases appropriate for the actual finished formulated product refer to section 2.
- H304 May be fatal if swallowed and enters airways.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.
- R41 Risk of serious damage to eyes.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Department issuing SDS: Product safety department.
- · Contact: STEVEN PRITCHARD
- · \* Data compared to the previous version altered.