

# Installation Instructions

Model Number 1010-00

## Assembly Components:

- Right angle wall mount – 1 each
- 1" Flexible rubber grommet – 1 each
- #8 - 32 screw (for attaching access point mounting plate) – 4 each
- Installation Instructions – 1 each

If any of these items are missing, contact your Oberon representative.

Find a flat work surface to assemble the *mount*, *access point's mounting plate*, *conduit clamp(s)*, *T-bar clip*, and *antenna(s)* prior to mounting on wall.

Step 1 – Place the *mount assembly* on the work surface.




Figure 1

Step 2 – Use the *mounting hole legend* (Figure 3) to determine the mounting hole locations for the type of *access point* chosen. Securely fasten the *access point's mounting bracket* to the mount using either (4) # 8-32 screws (included) or T-bar mount clip that comes with the manufacturers access point (Figure 1).

Step 3 – If applicable, install the conduit clamp(s). Clamps can be installed on either side of the mount by removing the 1/2" trade size knockout punch.

The mount is now ready for wall mounting.

Step 4 – Place the mount on the wall where it is to be installed (it is recommended that you mount directly to a stud if possible) and mark the screw locations. Use a minimum of two (2) #10 x 2" or larger screws (not included) to secure the mount in place. However, if there is no stud at the mounting location, it is recommended that you use a minimum of 4 suitable anchors to secure the mount in place (Figure 2).

Step 5 – Run the data and power cable (if required) through the conduit clamp located on sides of the *mount*. The mount has a cutout in it that can accommodate a wall plate for data termination. Run data and power cable (if required) through the flexible rubber grommet.

Step 6 – Attach the data and power cables to the *access point* prior to securing the *access point* to the mounting bracket. After the *access point* is secured to the mounting bracket, attach antennas to the *access point* if required.

**⚠\*\*IMPORTANT\*\*** - It is important that the *mount is securely fastened to the wall to prevent human injury or damage to the access point.*




Figure 2




## MODEL 1010-00

### Installation Instructions

#### \*\*\*\* WARNING \*\*\*\*

**Please thoroughly read the product warning below before installation to provide for a safe work environment.**

1. Always consider the hazard to other people:
  - a. During installation, use warning signs, etc.
  - b. Don't work with people directly below the work area as equipment could fall and cause an injury
2. Be sure to securely fasten the mount to the wall to prevent the mount from becoming dislodged.



#### MOUNTING HOLE LEGEND

- A - Cisco AIR-AP-BRACKET-2
- B - T-Bar Mount

Figure 3