

# Technical Data



## MARKER PEN FAST DRYING, MULTI-SURFACE, PAINT MARKER PENS



**AMBERSIL MARKER PENS** can be used exactly like regular ink permanent markers, but without the drawbacks typically associated with them. The acrylic paint is highly tenacious, able to write on almost any surface, and on any substrate colour. The very high opacity ensures outstanding colour vibrancy and visibility, and the advanced pigment technology delivers very long lasting, zero fade performance. Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

The marker pens can be removed easily with a solvent such as Amberklene FE10

### FEATURES

- Excellent opaque coverage, even on dark surfaces
- Fast drying
- Durable tip with valve action to prevent excess paint flow
- Medium thickness point ( Ø 3 mm)
- Easy, accurate application
- Multi surface: can be used on: metal, rubber, glass, textile, paper, enamel, plastic, cardboard, tiles, wood
- 9 colours available

### APPLICATIONS

Most industrial marking requirements


- Metal working/fabrication
- Machine construction
- Road construction
- Surveying
- Electrical installations
- Civil engineering
- Logistics
- General repair

### DIRECTIONS

- Shake the pen well with the cap on, until the agitator ball moves freely
- Take off the cap and press the tip several times or until the paint starts to flow
- Always use in a well ventilated area
- Replace the cap carefully after use and store in horizontal position
- The colour may fade when exposed to direct sunlight for an extended period




Gold



Silver



Black



White



Red



Orange



Yellow



Green



Blue

## **TECHNICAL DATA**

Colour	:	9 colours available: Yellow, White, Blue, Black, Orange, Red, Green, Gold, Silver
Flash Point	:	25 ° C
Specific Gravity	:	0.9
Boiling Point	:	> 100°C
Packaging	:	12 pens per box

## **STORAGE**

The product may be stored at normal ambient temperatures and has a shelf life of not less than 24 months with correct storage.

## **HEALTH AND SAFETY**

Health and Safety sheet available separately.

## **TECHNICAL SERVICE**

CRC Industries UK Ltd provides a technical support service and maintains a constant programme of research and development. We are able to assist customers by specific product development to meet particular requirements.

## **MISREPRESENTATION ACT 1967    TRADE DESCRIPTIONS ACT 1968**

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

CRC Industries UK Limited, Wylds Road, Bridgwater, Somerset, TA6 4DD

Tel: +44 (0) 1278 727200

Fax: +44 (0) 1278 425644

Web: [www.ambersil.com](http://www.ambersil.com)

E-mail: [sales.uk@crcind.com](mailto:sales.uk@crcind.com)

*November 2009*