

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.


COMPONENT QUANTITY PER FIELD TERMINATED KITS (SEE NOTE 3) LABEL BASES LABELS PART NO. CONNECTING BLOCKS WEIGHT LBS **HOLDERS** P110BW100 P110BW300 P110CB4 DSL110 P110CB5 P1101H 20 2 1 4 2 . 9 P110KB1004Y 20 2 2 . 9 P110KB1005Y 1 12 2.3 P110KB3004Y 60 6 6 P110KB3005Y 6 2.3 1 60 6

## NOTES:

- 1. IT IS COMMON PRACTICE TO COMPLETELY FILL EACH 25-PAIR WIRE STRIP WITH CONNECTING BLOCKS. EACH KIT CONTAINS THE ADEQUATE NUMBER OF CONNECTING BLOCKS TO DO SO. EXAMPLE: P110KB1004 INCLUDES FIVE 4-PAIR AND ONE 5-PAIR CONNECTING BLOCKS PER 25-PAIR WIRE STRIP FOR A TOTAL OF TWENTY 4-PAIR AND FOUR 5-PAIR CONNECTING BLOCKS. AS WELL AS TWO LABEL HOLDERS AND TWO WHITE DESIGNATION LABELS.
- 2. WIRE SEPARATOR MARKED ACCORDING TO 25-PAIR TIP COLOR SCHEME. 3. REFERENCE INDIVIDUAL CUSTOMER DRAWINGS FOR COMPONENT DETAILS.







PART NUMBER

P110KB\*00\*Y TITLE FIELD TERMINATED 110 SYSTEM KITS WITH 4/5 PAIR CONNECTING BLOCK CUSTOMER DRAWING ITEM REVISION NAME M02479MH/00 DATASET FILE NAME M02479MH\_DC321/00C MATERIAL: UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: IN [ mm ] [E.] 010. ± xxx. .xx ± .03[ .8 ] ANGLES ± DRAWING NUMBER: THIRD ANGLE 02479-321 PROJECTION SCALE DRAWN BY DATE

B

A. UPDATED TITLE BLOCK AND ADDED ISO VIEWS ON ALL SHEETS. 2 5-28-14 MDJR REFR MMR 02479-321 PREVIOUS REVISIONS HAVE BEEN REMOVED FOR CLARITY. APR REV DATE BY CHK DESCRIPTION ECN NER 3-28-06 WJC SHT 1 0F 3 NONE

