

Anixter Level 1 for Industrial Network Environments

Industrial Ethernet Cable: Cat 5e 24-4 Pair Solid Shielded CMP Blue



L1-5E-SOL-SHLD-P-06

CAT5e (100MHz), 4-Pair, F/UTP-Foil shielded, Plenum-CMP, remise Horizontal Cable, 24 AWG solid bare copper conductors, FEP insulation, overall shield, Blue Plenum jacket, RJ-45 compatible

Physical Characteristics (Overall)		
Conductor		
# Pairs	4	
AWG	24	
Stranding	Solid	
Material	BC - Bare Copper	
Total # of Conductors	8	
Insulation		
Material	FEP - Fluorinated Ethylene Propylene	
Outer Shield		
Туре	Таре	
Outer Shield Material	Aluminum Foil-Polyester Tape	
Coverage	100%	
Outer Shield Drain Wire		
AWG	24	
Stranding	7x32	
Conductor Material	TC – Tinned Copper	



Outer Jacket			
Material	LS PVC - Low Smoke Polyvinyl Chloride		
Nominal Diameter	.235 in.		
Pair Color Code Chart			
1	White/Blue Stripe & Blue		
2	White/Orange Stripe & Orange		
3	White/Green Stripe and Green		
4	White/Brown Stripe and Brown		
Mechanical Characteristics (Overall)			
Operating Temperature Range	0°C To +75°C		
Max. Recommended Pulling Tension	25 lbs.		
Applicable Specifications and Agency Compliance (Overall)			
Applicable Standards & Environmental Programs			
NEC/(UL) Specification	CMR, UL444		
CEC/C(UL) Specification	CMR		
Other Standards	11801 Category 5		
EU CE Mark	Yes		
EU Directive 2011/65/EU (ROHS II)	Yes		
EU Directive 2000/53/EC (ELV)	Yes		
EU Directive 2002/95/EC (RoHS)	Yes		
EU RoHS Compliance Date (mm/dd/yyyy)	1/1/2004		
EU Directive 2002/96/EC (WEEE)	Yes		
EU Directive 2003/11/EC (BFR)	Yes		
CA Prop 65 (CJ for Wire & Cable)	Yes		
MII Order #39 (China RoHS)	Yes		
Telecommunication Standards	568-B.2 Category 5e		
Other Specification	NEMA WC-63.1 Category 5e, UL Verified to Category 5e		
Flame Test			
UL Flame Test	UL1666 Vertical Riser		
CSA Flame Test	FT4		



	Suitability	
Suitability - Indoor	Yes	
Suitability - Outdoor	No	
Sunlight Resistance	No	
Oil Resistance	No	
Plenum/Non-Plenum		
Plenum (Y/N)	No	

Electrical and Electronic Wire & Cable • Enterprise Cabling & Security Solutions • OEM Supply – Fasteners Anixter Inc. World Headquarters • 2301 Patriot Boulevard, Glenview, IL 60026-8020 • 1.800.ANIXTER • 224.521.8000 • anixter.com

Anixter is a leading global distributor of enterprise cabling and security solutions, electrical and electronic wire and cable, and OEM supply – fasteners and other small parts.

We reduce risk, complexity and cost from our customers' purchasing decisions, business processes and supply chains.