

Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue, 50-ft.

MODEL NUMBER: N202-050-BL



Description

Tripp Lite Solid Conductor 4-pair Cat6 patch cables are ideal for long Ethernet patch cable runs, as well as for use with Tripp Lite's HDMI over Cat6 Audio/Video products. Solid conductor wire has a lower DC resistance, allowing signals to run farther and stronger than stranded conductor patch cables. Unique, snagless boot protects the RJ45 locking tab during cable pulls, yet easily disconnects from attached equipment.

Features

- 50ft Blue Cat6 Solid Conductor patch cable
- Meets Category 6 cabling standards
- Solid Conductor 4 Pair Cable for long distance patch runs
- Drastically reduce impedance and structural return loss compared to Stranded Conductor patch cables
- High-quality copper wire and a shortened body plug design
- . Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation

Highlights

- Meets Category 6 cabling standards
- Solid Conductor 4 Pair Cable for long distance patch runs
- Drastically reduce impedance and structural return loss compared to Stranded Conductor patch cables
- High-quality copper wire and a shortened body plug design
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation

System Requirements

Package Includes

N202-050-BL, 50ft Blue Cat6 Solid Conductor Patch Cable

Specifications

OVERVIEW		
Style	Cat6/6e/6a	
Display Style	Cable	
Model Type	Solid	
Cable Types	CAT6	
INPUT	·	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Cable Length (ft.)	50		
Cable Length (m)	15.24		
PHYSICAL			
Color	Blue		
CONNECTIONS			
Connector A	RJ45 (MALE)		
Connector B	RJ45 (MALE)		
CERTIFICATIONS			
Certifications	RoHS Compliant		
WARRANTY			
Product Warranty Period (Worldwide)	Lifetime limited warranty		

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.