

# USB 2.0 Hi-Speed Panel Mount Extension Cable (B to Panel Mount B M/F), 1-ft.

MODEL NUMBER: U025-001-PM



## **Description**

This 1-ft Panel Mount USB extension cable is manufactured using USB2.0 cable. It features a panel mount

connector that allows you to secure a USB B female port in a fixed location, for custom solutions such as an internally mounted drive. It is designed for use with USB 2.0 devices, but is backwards compatible and can also be used with USB 1.1. Made with superior foil shielding for reliable error-free data communications. The cable is manufactured with molded connectors and integral strain relief for extra durability and long life.

## **Features**

- Add a fixed USB B female port to a custom solution, such as an internally mounted drive
- Data transfer rates (1.5 to 480 Mbps) for low speed and high speed devices
- Premium double-shielded cables with tinned copper braid and aluminum Mylar foil feature twisted 28/20 AWG data lines

# **Specifications**

OVERVIEW		
Chromebook Compatible	No	
Style	USB	
Cable Types	USB	
OUTPUT		
USB Charging	No	
INPUT		
Cable Length (ft.)	1	

## **Highlights**

- Add a fixed USB B female port to a custom solution, such as an internally mounted drive
- Data transfer rates (1.5 to 480 Mbps) for low speed and high speed devices
- Premium double-shielded cables with tinned copper braid and aluminum mylar foil feature twisted 28/20 AWG data lines

## **System Requirements**

 Any device requiring a longer USB cable

## Package Includes

U025-001-PM 1-ft. Panel Mount
 USB 2.0 Extension Cable (USB B M/F)



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Cable Length (m)	0.3
PHYSICAL	
Color	Black
CONNECTIONS	
Connector A	USB B (MALE)
Connector B	USB B (FEMALE) - PANEL MOUNT
CERTIFICATIONS	
Certifications	RoHS compliant
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.