

ADESCO STUDLOCK 50ML

Page: 1

Compilation date: 19/02/2015

Revision No: 7

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ADESCO STUDLOCK 50ML

Product code: ASADAN1M500905

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Anaerobic adhesive.

1.3. Details of the supplier of the safety data sheet

Company name: Anixter

3 Edmund Road Sheffield S2 4EB England Tel: 01142 709338 Fax: 01142 709358 Email: gregg.walker@anixter.com

1.4. Emergency telephone number

Emergency tel: 01142 709338

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification under CLP:	STOT SE 3: H335; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin	
	Sens. 1: H317; -: EUH208	
Nost important adverse effects:	Contains 1-acetyl-2-phenylhydrazine. May produce an allergic reaction. Causes skin	
	irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause	
respiratory irritation. Harmful to aquatic life with long lasting effects.		

2.2. Label elements

Label	elements:
-------	-----------

Hazard statements:	EUH208: Contains 1-acetyl-2-phenylhydrazine. May produce an allergic reaction.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H412: Harmful to aquatic life with long lasting effects.
Hazard pictograms:	GHS07: Exclamation mark

ADESCO STUDLOCK 50ML



Signal words:	Warning
Precautionary statements:	P261: Avoid breathing vapours.
	P264: Wash contaminated skin thoroughly after handling.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312: Call a POISON CENTER/doctor//if you feel unwell.
	P321: Specific treatment (see information on this label).
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P337+313: If eye irritation persists: Get medical advice/attention.
	P403+233: Store in a well-ventilated place. Keep container tightly closed.
	P501: Dispose of contents/container to comply with Local, National and International
	regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POLYGLYCOL DIMETHACRYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-652-6	109-16-0	-	Skin Sens. 1: H317	50-70%

HYDROXYALKYL METHACRYLATE

248-666-3	27813-02-1	-	STOT SE 3: H335; Eye Irrit. 2: H319;	1-10%
			Skin Sens. 1: H317	

ACRYLIC ACID

201-177-9	79-10-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332;	1-10%
			Acute Tox. 4: H312; Acute Tox. 4: H302;	
		Skin Corr. 1A: H314; Aquatic Acute 1:		
			H400	

ADESCO STUDLOCK 50ML

Page: 3

CUMENE HYDROPEROXIDE

201-254-7	80-15-9	-	- Org. Perox. EF: H242; Acute Tox. 3:	
		H331; Acute Tox. 4: H312; Acute Tox. 4:		
		H302; STOT RE 2: H373; Skin Corr.		
			1B: H314	

1-ACETYL-2-PHENYLHYDRAZINE

204-055-3	114-83-0	-	Acute Tox. 3: H301+311; Skin Irrit. 2:	<1%
			H315; STOT SE 3: H335; Aquatic	
			Chronic 1: H410; Eye Irrit. 2: H319;	
			Skin Sens. 1B: H317	

N,N-DIMETHYL-P-TOLUIDINE

202-805-4	99-97-8	-	Acute Tox. 3: H331; Acute Tox. 3: H311;	<1%
			Acute Tox. 3: H301; STOT RE 2: H373;	
			Aquatic Chronic 3: H412	

Section 4: First aid measures

4.1. Description of first aid m	easures
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
	immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion:	Wash out mouth with water. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a
	doctor.
4.2. Most important symptom	ns and effects, both acute and delayed
Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
4.3. Indication of any immedi	ate medical attention and special treatment needed
mediate / special treatment:	Eye bathing equipment should be available on the premises.
ection 5: Fire-fighting meas	sures
5.1. Extinguishing media	
	Cuitable autionuishing modie for the current disc fire should be used. Use water error

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

ADESCO STUDLOCK 50ML

5.3. Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ACRYLIC ACID

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	30 mg/m3	60 mg/m3	-	-

ADESCO STUDLOCK 50ML

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Green		
Odour:	Barely perceptible odour		
Evaporation rate:	Negligible		
Oxidising:	No data available.		
Solubility in water:	Insoluble		
Viscosity:	No data available.		
Boiling point/range°C:	>35 Melting point	t/range°C:	Not applicable.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>93 Part.coeff. n-octa	nol/water:	No data available.
Autoflammability°C:	No data available. Vapour	pressure:	<=666.6Pa
Relative density:	1.04	pH:	Not applicable.
VOC g/l:	<5		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Light.

ADESCO STUDLOCK 50ML

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: None known when used as recommended.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ACRYLIC ACID

IPR	RAT	LD50	22	mg/kg
ORL	MUS	LD50	830	mg/kg
ORL	RAT	LD50	1250	mg/kg
SCU	MUS	LD50	1590	mg/kg

CUMENE HYDROPEROXIDE

ORL	MUS	LDLO	5	gm/kg
ORL	RAT	LD50	382	mg/kg
SCU	RAT	LD50	382	mg/kg

N,N-DIMETHYL-P-TOLUIDINE

PR MUS	LD50	212	mg/kg
--------	------	-----	-------

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
/ immediate effects:	Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

Delayed /

ADESCO STUDLOCK 50ML

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

 Other information:
 This safety data sheet is prepared in accordance with Commission Regulation (EU) No

 453/2010.
 * indicates text in the SDS which has changed since the last revision.

 Phrases used in s.2 and s.3:
 EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

 H226: Flammable liquid and vapour.
 H226: Flammable liquid and vapour.

 H242: Heating may cause a fire.
 H301: Toxic if swallowed.

 H301+311: Toxic if swallowed or in contact with skin.

ADESCO STUDLOCK 50ML

Page: 8

H302: Harmful if swallowed. H311: Toxic in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H331: Toxic if inhaled. H332: Harmful if inhaled. H335: May cause respiratory irritation. H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.