




Loading-Plan:




- Protection level: IP65/67
- Temperature range: -40°C...+70°C



	All rights reserved Department EC PD - RO	All Dimensions in mm Original Size DIN A3			Scale 1:1	Free size tol.	Ref. Sub.	
		HARTING Electronics GmbH D-32339 Espelkamp	Created by TOMUTA	Inspected by AVRAM	Standardisation HOFFMANN	Date 2014-08-01	State Final Release	Doc-Key / ECM-Nr. 100155397/UGD/006/B 50000078159
		Title RJ Industrial Cable Assembly					Rev. B	
		Type TB		Number 09475656XXX			Page 1/3	

1	2	3	4
Cont. No.	Part - no.	Type of cable	Dim. a[m]
A	1	RJ45 Ethernet Standard Cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+	0.5
	2		1
	3		1.5
	4		2
	5		3
	6		4
	7		5
	8		6
	9		7
	10		8
B	11	RJ45 Ethernet Standard Cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+	9
	12		10
	13		15
	14		20
	15		30
	16		40
	17		50
	18		60
	19		70
	20		80
C	21	RJ45 Ethernet Standard Cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+	90
	22		100
	23		0.5
	24		1
	25		1.5
	26		2
	27		3
	28		4
	29		5
	30		6
D	31	RJ45 Ethernet Stranded Cable, 4xAWG22/7, PVC, Cat. 5+	7
	32		8
	33		9
	34		10
	35		15
	36		20
	37		30
	38		40
	39		50
	40		60
E	41	RJ45 Ethernet Stranded Cable, 4xAWG22/7, PVC, Cat. 5+	70
	42		80
	43		90
	44		100

5	6	7	8
Cont. No.	Part - no.	Type of cable	Dim. a[m]
	45	RJ45 Ethernet Trailing Cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+	0.5
	46		1
	47		1.5
	48		2
	49		3
	50		4
	51		5
	52		6
	53		7
	54		8
	55	RJ45 Ethernet Trailing Cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+	9
	56		10
	57		15
	58		20
	59		30
	60		40
	61		50
	62		60
	63		70
	64		80
	65	RJ45 Ethernet Stranded Cable, AWG 22/7, 2x2x0.75, outdoor PVC, Cat. 5+	90
	66		100
	67		0.5
	68		1
	69		1.5
	70		2
	71		3
	72		4
	73		5
	74		6
	75	RJ45 Ethernet Stranded Cable, AWG 22/7, 2x2x0.75, outdoor PVC, Cat. 5+	7
	76		8
	77		9
	78		10
	79		15
	80		20
	81		30
	82		40
	83		50
	84		60
	85	RJ45 Ethernet Stranded Cable, AWG 22/7, 2x2x0.75, outdoor PVC, Cat. 5+	70
	86		80
	87		90
	88		100

		All Dimensions in mm Original Size DIN A3		Scale 1:1		Free size tol.		Ref.	
All rights reserved Department EC PD - RO		Created by TOMUTA		Inspected by AVRAM		Standardisation HOFFMANN		Date 2014-08-01	
HARTING Electronics GmbH D-32339 Espelkamp		Title RJ Industrial Cable Assembly		Number 09475656XXX		State Final Release		Doc-Key / ECM-Nr. 100155397/UGD/006/B 50000078159	
		Type TB				Rev. B		Page 2/3	

1	2	3	4	5	6	7	8
Cont. No.	Part - no.	Type of cable		Dim. a[m]			
A 89	094 75656161	HARTING PROFINET Type C Torsional Stress Cable, 4xAWG22/19 Cat. 5, PUR		0.5			
90	094 75656162			1			
91	094 75656163			1.5			
92	094 75656164			2			
93	094 75656165			3			
94	094 75656166			4			
95	094 75656167			5			
96	094 75656168			6			
97	094 75656169			7			
98	094 75656170			8			
B 99	094 75656171					9	
100	094 75656172			10			
101	094 75656173			15			
102	094 75656174			20			
103	094 75656175			30			
104	094 75656176			40			
105	094 75656177			50			
106	094 75656178			60			
107	094 75656179			70			
108	094 75656180			80			
C 109	094 75656181			90			
110	094 75656182			100			

	All Dimensions in mm Original Size DIN A3	Scale 1:1	Free size tol.		Ref.	
					Sub.	
	All rights reserved Department EC PD - RO	Created by TOMUTA	Inspected by AVRAM	Standardisation HOFFMANN	Date 2014-08-01	State Final Release
	HARTING Electronics GmbH D-32339 Espelkamp	Title RJ Industrial Cable Assembly			Doc-Key / ECM-Nr. 100155397/UGD/006/B 500000078159	
	Type TB	Number 094 75656XXX			Rev. B	Page 3/3