

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

PS/2 Server Interface Module for NetDirector Matrix KVM Switches

MODEL NUMBER: B054-001-PS2



Description

Tripp Lite's PS/2 Server Interface Module connects to the PS/2 ports on a Server, and converts them to a single RJ45 connector. Ordinary Cat5e patch cables can then be used to connect the server to the switch ports on the Tripp Lite B060 and B064-Series NetDirector Matrix KVM switch. Use of Cat5e cables frees up space in the server cabinet that would be filled by traditional, thicker KVM cables.

Features

- Eliminates the need for thicker, heavier KVM cables
- Compact, lightweight design
- Plug and Play; no software required
- · No power supply required
- Allows a Server/CPU to be located up to 500ft away from the KVM switch
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Highlights

- Needed to connect a PS/2
 Server to the B060 and
 B064-Series NetDirector Matrix
 KVM switch via Cat5e cable
- Easy to install; no software needed
- Allows a maximum distance of 500ft from KVM to Server via Cat5 cable
- Compact and lightweight design
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

System Requirements

- Server or CPU with a HD15 connector and (2) PS/2 type connections
- A B060 and B064-Series
 NetDirector Matrix KVM Switch
- Cat5e/6 cable; up to 500ft when used with a B060 series KVM

Package Includes

• 1 PS/2 Server Interface Module

Specifications

General Info	
RoHS	Y
OVERVIEW	
Model Type	Interface Modules
Accessories Type	Server Interface Unit
CONNECTIONS	



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Connector A	RJ45 (FEMALE)
Connector B	HD15 (MALE) & MINI DIN-6 (MALE) (X2)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.