MODEL:

## SR18UB

## SmartRack® Premium Rack Enclosure























18 Rack Units

3000 lb Stationary **Load Rating** 

2250 lb Rolling **Load Rating** 

A

Heavy-Duty Casters

Locking Doors Accommodates & Side Panels

Standard 19-inch Equipment

Toolless Mounting Slots

Airflow Rails with Exceeds **Easy-View** Server OEM **Depth Index** Requirements

Integrated **Baying Tabs** 

Square Hole Mounting

A Locking/Reversible Front Door

**B** Locking/Reversible Back Door

C Horizontal Rails

**D** Vertical Mounting Rails

**E** Vents


F Cable Access Panel


**G** Locking/Removable Side Panels

**H** Heavy-Duty Casters

Heavy-Duty Levelers


Also Includes: Owner's manual and rackmount equipment mounting hardware (42 cage nuts, 42 mounting screws, 42 nylon cup washers)





- Modular design optimized for quick configuration and reconfiguration
- Ideal for rackmount server, network and telecom applications


## **Specifications**




## SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS



1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com







TOP VIEW

MODEL: SR18UB



1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com

Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.