

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

TABLE - 1 HDQ SERIES FIBER OPTIC CASSETTE - MPO TO LC 10 GbE 1RU FLAT PROFILE; 64-FIBER BROCADE LABELING								
PART NUMBER	DESCRIPTION							
METHOD A								
F1RBXN-6408-10S	OM3 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBX0-6408-10S	OPTIMIZED OM3 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBZN-6408-10S	OM4 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBZ0-6408-10S	OPTIMIZED OM4 FIBER; 8-FIBER MPO TO DUPLEX LC							
MODIFIED METHOD A, PAIR-FLIPPED								
F1RBXN-6408-10F	OM3 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBX0-6408-10F	OPTIMIZED OM3 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBZN-6408-10F	OM4 FIBER; 8-FIBER MPO TO DUPLEX LC							
F1RBZ0-6408-10F	OPTIMIZED OM4 FIBER; 8-FIBER MPO TO DUPLEX LC							

-							4
RE	V DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY DATE CHK SCALE SAT 05-15-13 YMG NONE SHT 2 OF 3
R	05-15-13	SAT	YMG		RELEASED TO PRODUCTION	12F193AD-DC	THIRD ANGLE PROJECTION 12F193AD-DC
							.x ± .xx ± .010 [0.3] SHEET 1
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] SEE NOTES
							12F193AD_DC/02A
							12F193AD/02 DATASET FILE NAME 12F103AD DO (03A)
							ITEM REVISION NAME
							CUSTOMER DRAWING
							FOR BROCADE 32 PORTS (64 FIBERS)
							HDQ SERIES FIBER OPTIC FLAT CASSETTES
			1				TITLE

2

ĵ

