

RTD FOAMCUT

Page: 1

Compilation date: 25/11/2014

Revision No: 9

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: RTD FOAMCUT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Foaming lubricant for reaming tapping and drilling

### 1.3. Details of the supplier of the safety data sheet

#### Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740
Email:	customer-service@rocol.com

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification under CLP: -: H229

Most important adverse effects: Pressurised container: May burst if heated.

#### 2.2. Label elements

Label elements under CLP:	
Hazard statements:	H229: Pressurised container: May burst if heated
Precautionary statements:	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P251: Pressurized container: Do not pierce or burn, even after use.
	P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P285: In case of inadequate ventilation wear respiratory protection.
	P264: Wash thoroughly after handling.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

## RTD FOAMCUT

#### 2.3. Other hazards

#### **PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

## 3.2. Mixtures

#### Hazardous ingredients:

#### LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-156-6 6	64742-53-6	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	30-50%

#### CARBON DIOXIDE AEROSOL PROPELLANT

204-696-9	124-38-9	Substance with a Community workplace exposure limit.	Press. Gas: H280	2-10%
-----------	----------	--	------------------	-------

Contains: Light naphthenic distillate contains <3% (w/w) DMSO extractable according to IP346

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Do not use water. Use

water spray to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

## **RTD FOAMCUT**

Page: 3

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Mix with sand or vermiculite. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

# 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

#### LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)

#### Workplace exposure limits:

# Respirable dust

-

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3	10 mg/m3	-	-

### CARBON DIOXIDE AEROSOL PROPELLANT

UK
----

5000ppm 9150mg/m3 15000ppm 27400mg/m3

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

-

## **RTD FOAMCUT**

Autoflammability°C: >200

Eye protection: Safety glasses with side-shields.

Skin protection: Protective clothing.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Aerosol
Colour:	Brown
Odour:	Characteristic odour
Evaporation rate:	Slow
Oxidising:	Non-oxidising (by EC criteria)
Solubility in water:	Not miscible
Viscosity:	Non-viscous
Flash point°C:	140
VOC g/l:	0

9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

## 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

**11.1. Information on toxicological effects** 

Hazardous ingredients:

#### LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)

DERMAL RBT LD50	>2000 mg/kg
-----------------	-------------

Page: 4

## RTD FOAMCUT

12.1. Toxicity         Hazardous ingredients:         LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability         Persistence and degradability:       Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:       No data available.         12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
Symptoms / routes of exposure         Skin contact:       There may be irritation and redness at the site of contact.         Eye contact:       There may be irritation and redness.         Ingestion:       There may be soreness and redness of the mouth and throat. May cause dizziness.         Inhalation:       There may be irritation of the throat with a feeling of tightness in the chest.         Section 12: Ecological information       Item throat with a feeling of tightness in the chest.         Item three may be irritation of the throat with a feeling of tightness in the chest.       Item three may be irritation of the throat with a feeling of tightness in the chest.         Section 12: Ecological information       Item throat. May cause dizziness.         Item three may be irritation of the throat with a feeling of tightness in the chest.       Item throat. May cause dizziness.         Item three may be irritation of the throat with a feeling of tightness in the chest.       Item three may be irritation of the throat with a feeling of tightness in the chest.         Section 12: Ecological information       Item three may be irritation and redness of the mouth and throat. May cause dizziness.         Item three may be irritation and redness of the mouth and throat.       Item three may be irritation and redness of the mouth and throat.         Item three t	
Skin contact:       There may be irritation and redness at the site of contact.         Eye contact:       There may be irritation and redness.         Ingestion:       There may be soreness and redness of the mouth and throat. May cause dizziness.         Inhalation:       There may be irritation of the throat with a feeling of tightness in the chest.         Section 12: Ecological information       Information         12.1. Toxicity       Intermediate the section of the throat with a feeling of tightness in the chest.         Hazardous ingredients:       LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability       Only slightly biodegradable.       Image: Section 12: Se	
Eye contact: There may be irritation and redness.   Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.   Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.   Section 12: Ecological information   12.1. Toxicity   Hazardous ingredients:   LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)   FISH   96H LC50   >100   mg/l   Persistence and degradability   Persistence and degradability   Only slightly biodegradable.   12.3. Bioaccumulative potential   Bioaccumulative potential:   No data available.   12.4. Mobility in soil   Mobility:   Non-volatile.   PBT identification: This product is not identified as a PBT/vPvB substance.   12.6. Other adverse effects	
Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Section 12: Ecological information 12.1. Toxicity Hazardous ingredients: LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT) FISH 96H LC50 >100 mg/l 12.2. Persistence and degradability Persistence and degradability Only slightly biodegradable. 12.3. Bioaccumulative potential Bioaccumulative potential: No data available. 12.4. Mobility in soil 12.4. Mobility in soil Mobility: Non-volatile. 12.5. Results of PBT and vPvB assessment PBT identification: This product is not identified as a PBT/vPvB substance.	
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.  Section 12: Ecological information  12.1. Toxicity  Hazardous ingredients: LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)  FISH 96H LC50 >100 mg/l  12.2. Persistence and degradability Persistence and degradability  Persistence and degradability: Only slightly biodegradable.  12.3. Bioaccumulative potential Bioaccumulative potential: No data available.  12.4. Mobility in soil  Mobility: Non-volatile.  12.5. Results of PBT and vPvB assessment PBT identification: This product is not identified as a PBT/vPvB substance.  12.6. Other adverse effects	
Section 12: Ecological information         12.1. Toxicity         Hazardous ingredients:         LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50         12.2. Persistence and degradability         Persistence and degradability:         Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:         No data available.         12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
12.1. Toxicity         Hazardous ingredients:         LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability         Persistence and degradability:       Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:       No data available.         12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
Hazardous ingredients:         LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability         Persistence and degradability:       Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:       No data available.         12.4. Mobility in soil         Mobility: Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification: This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability         Persistence and degradability:       Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:       No data available.         12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.	
LIGHT NAPHTHENIC DISTILLATE (LESS THAN 3% DMSO EXTRACT)         FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability         Persistence and degradability         Persistence and degradability         Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:         No data available.         12.4. Mobility in soil         Mobility: Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification: This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
FISH       96H LC50       >100       mg/l         12.2. Persistence and degradability       Only slightly biodegradable.	
12.2. Persistence and degradability         Persistence and degradability:         Only slightly biodegradable.         12.3. Bioaccumulative potential         Bioaccumulative potential:         No data available.         12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
Persistence and degradability: Only slightly biodegradable.  12.3. Bioaccumulative potential Bioaccumulative potential: No data available.  12.4. Mobility in soil  Mobility: Non-volatile.  12.5. Results of PBT and vPvB assessment  PBT identification: This product is not identified as a PBT/vPvB substance.  12.6. Other adverse effects	
12.3. Bioaccumulative potential         Bioaccumulative potential: No data available.         12.4. Mobility in soil         Mobility: Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification: This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
Bioaccumulative potential:       No data available.         12.4. Mobility in soil       Mobility:         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
12.4. Mobility in soil         Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
Mobility:       Non-volatile.         12.5. Results of PBT and vPvB assessment         PBT identification:       This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
12.5. Results of PBT and vPvB assessment         PBT identification: This product is not identified as a PBT/vPvB substance.         12.6. Other adverse effects	
PBT identification: This product is not identified as a PBT/vPvB substance. 12.6. Other adverse effects	
12.6. Other adverse effects	
Section 13: Disposal considerations	
13.1. Waste treatment methods	
Disposal operations: Specially engineered landfill (e.g. placement into lined discrete cells which are cappe	d
and isolated from one another and the environment, etc.).	
<b>Disposal of packaging:</b> Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.	
<b>NB:</b> The user's attention is drawn to the possible existence of regional or national	
regulations regarding disposal.	
Section 14: Transport information	
14.1. UN number	

UN number: UN1950

## RTD FOAMCUT

14.2. UN proper shipping nar	ne
-	AEROSOLS (IATA ONLY), NON-FLAMMABLE
14.3. Transport hazard class	es)
Transport class:	2.2
14.4. Packing group	
14.5. Environmental hazards	
Environmentally hazardous:	
14.6. Special precautions for	user
Section 15: Regulatory inform	mation
15.1 Safety health and envir	onmental regulations/legislation specific for the substance or mixture
15.2. Chemical Safety Assess	sment
Section 16: Other informatio	n
Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	Safety data sheet prepared in accordance with Commission Directive 2008/47/EC of 8
	April 2008 amending, for the purposes of adapting to technical progress, Council
	Directive 75/324/EEC relating to aerosol dispensers
	Compiled in accordance with REACH.
Phrases used in s.2 and s.3:	H229: Pressurised container: May burst if heated
	H280: Contains gas under pressure; may explode if heated.
	H304: May be fatal if swallowed and enters airways.
Legend to abbreviations:	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit

**Page:** 6

RTD FOAMCUT

Page: 7

HAM = hamster HMN = human MAM = mammal PGN = pigeon IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.