

# Product Information

## Material Safety Data Sheet

**BRUMMER**

### 1. Identification of the substance/mixture and of the company

#### Product identifier

Product name : BRUMMER GREEN LABEL STOPPING

#### Relevant identified uses of the substance/mixture and uses advised against identified uses:

Only for use as a filler for wood and other materials

#### Details of the supplier of the safety data sheet:

Clam Brummer Limited, P.O. Box 413, Hatfield AL10 1BZ

Tel: 01707 274813 Fax: 01707 266846

Email: sales@woodfillers.co.uk

Emergency telephone number 01707 274813

### 2. Hazards Identification

Flammable Solid - Category 1 - H228

Acute Toxicity - Category 4 - H312

Skin Irritant - Category 2 - H315

Acute Toxicity - Category 4 - H332

#### Label Elements

#### Hazard Pictograms



Signal Word: WARNING

#### Hazard Statements

H226 Flammable liquid and vapour

H228 Flammable Solid

H312 Harmful in contact with skin

H315 Causes skin irritation

H332 Harmful if inhaled

H336 May cause drowsiness or dizziness

#### Precautionary Statements

P102 Keep out of the reach of children

P103 Read label before use

P101 If medical advice is needed have product container or label at hand

P210 Keep away from heat and open flames - no smoking

P233 Keep container tightly closed

P271 Use only outdoors or in a well ventilated area

P280 Wear protective gloves and eye protection

P302 + P350 IF ON SKIN : wash with plenty of soap and water

P305+P351 IF IN EYES : rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do - continue rinsing

### 3. Composition / Information on Ingredients

This product is a mixture

#### Inert Extenders

#### Inorganic Pigments

	Weight %	CAS No.	EC Index	Classification
Xylene	<10%	1330-20-7	601-022-00-9	Flam. Liq. 3 H226 Acute Tox. 4 H312 Skin Irrit. 2 H315 Acute Tox. 4 H332
N-Butyl Acetate	<5%	0123- 86-4	607-025-00-1	Flam. Liq. 3 H226 STOT SE 3 H336

4. First Aid Measures

Inhalation	Remove Patient to fresh air. If unconscious, place in recovery position. Perform artificial respiration if breathing has stopped. Seek medical advice.
Eyes	Rinse cautiously with water for several minutes, remove contact lenses if present. Continue rinsing. Seek medical advice.
Skin	Wash off with plenty of soap and water.
Ingestion	DO NOT induce vomiting. Give copious amount of water to drink. Seek medical advice.
  
5. Fire Fighting Measures

Extinguishing Media	
Suitable Media	CO2, dry chemical or sand or earth for small fires. For larger fires use foam or water spray. Wear self-contained breathing apparatus and protective gloves.
Special explosion hazards	- Negligible for small quantities. For very large quantities – may produce toxic or corrosive fumes.
Hazardous decomposition / combustible products	- Minimal for small quantities. For very large quantities – toxic gases, vapours and carbon dioxide.
Protective equipment	For major fire – self contained breathing apparatus and protective gloves.
  
6. Accidental Release Measures

	Avoid inhaling vapours. Ventilate area. Shut off all sources of ignition.
<u>Spill Clean up Measures</u>	Absorb on to sand or earth and sweep up. Dispose of according to local and national regulations.
  
7. Handling / Storage

Handling	Avoid contact with skin and eyes and ensure good ventilation.
Fire & Explosion Prevention	Keep away from sources of ignition. No smoking.
Storage Conditions & Requirements	Keep container tightly closed and store in a cool, dry place.
  
8. Exposure Controls / Personal Protection

	Long Term 8 Hours	Short Term 15 Minutes
Xylene	100 ppm	150 ppm (SK)
Butyl Acetate	150 ppm	200 ppm

Wear light protective clothing and ensure normal occupational hygiene. Provide adequate ventilation.
  
9. Physical / Chemical Properties

Colour	Various wood shades
Appearance	Paste
Flash Point	25 degrees C (closed cup)
Insoluble	
Volatile Organic Compound (VOC)	140 g/litre
  
10. Stability / Reactivity

	Stable at normal conditions.
Materials to avoid	None.
Conditions to avoid	Heat, sparks, flame.
  
11. Toxicological Information

This product may not be considered hazardous in normal handling, on the basis of information supplied.
  
12. Ecological Information

Not classified as dangerous for the environment.  
 Can be expected to biodegrade slowly.  
 Non Marine Pollutant
  
13. Disposal Consideration

Incinerate hardened product in suitable combustion chamber.  
 Disposal of waste should be carried out in accordance with local environmental legislation.

14. Transport Information

UN No.	1325	
Road	ADR	Class 4.1
Air	IATA	Class 4.1
Sea	IMDG	Class 4.1
Marine Pollutant	No	
Page No.	4035	
Packing Group	II	
Proper Shipping Name (PSN)	Flammable Solid, Organic, n.o.s. ( contains Xylene and Butyl Acetate )	

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for substances or mixture

REACH Regulation (EC) No 1907/2006

Annex XIV

None of the components are listed

Substances of very high concern

None of the components are listed

15.2 Chemical safety assessment

Not applicable

16. Other Information

Full text of statements referred to under section 3

Flammable Liquid Category 3	Flammable Liquid and Vapour
Acute Toxicity Category 4	Harmful in contact with skin
Skin Irritant Category 2	Causes skin irritation
Acute Toxicity Category 4	Harmful if inhaled
Single target organ toxicity Category 3	May cause drowsiness or dizziness

The information contained herein is based on the present state of knowledge and is not a specification and does not therefore guarantee certain properties, technical performance or suitability for certain applications. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. Recipients / users of our product must take responsibility for observing existing laws and regulations.

All technical chemical products can affect persons, especially those of an allergic disposition. The wearing of appropriate personal protective clothing and safety equipment is recommended as a precaution. Persons with known sensitivity should avoid contact altogether. Always ensure that the application is appropriate for the product and that use is carried out strictly in accordance with the directions.

Brummer Green Label Stopping  
August 2015