EDGE™ Adapter Panel, LC Duplex

12 fibres, Multimode (OM3/OM4)



EDGE™ LC duplex adapter panels provide a simple interface to mate LC connectors. This occurs when connecting LC trunks to harnesses, and when connecting LC trunks to LC patchcords.

Features and Benefits

Installation

Can be installed or removed from the front or rear of a housing

Packaging

Packaged in easy-open containers



Specifications

General Specifications	
Application	Data Centre LAN/SAN, Data Centre
Product type	Panels & Modules
Fibre Category	50 μm MM (OM3/OM4)

Design - Hardware	
Housing material	Composite
Housing Colour	black
Connector Type	LC Duplex
Fibre Count	12
Number of adapters per panel	6

Mechanical Characteristics	
Dimensions (W x D x H)	90 mm x 124 mm x 12 mm
Weight	0.028 kg



EDGE™ Adapter Panel, LC Duplex

12 fibres, Multimode (OM3/OM4)



Design Adapter	
Adapter type	LC Duplex
Adapter housing material	Composite
Adapter housing colour	Turquoise
Adapter style	Shuttered LC

Chemical Characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/EG

Ordering Information

Part Number	EMOD-CP12-AD
Product Description	12 fibre LC duplex adapter panel, turquoise, adapter for Multimode (OM3/OM4)
EAN Code	4056418172477

Shipping Information

Packing dimensions (L x W x H)	250 mm x 130 mm x 200 mm
Shipping Weight	0.715 kg
Units Per Delivery	1/1



Corning Optical Communications GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, GERMANY 00 800 2676 4641 · FAX: +49 30 5303 2335 · www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2016 Corning Optical Communications. All rights reserved.

