#### **SPILKLEEN MAINTENANCE SOCKS & CUSHIONS**

1. Identification

Manufacturer: Fosse Ltd/Fosse Liquitrol.

Address: Whetstone Magna, Lutterworth Rd., Whetstone, Leics. LS8 3NB.

Telephone: 0843 2211 960

Fax: 0843 2211 961

2. Physical properties

Grey nylon and polyester fabric, filled with cellulose fibre.

Unlikely to case any harmful effects when handled correctly and used as an absorbent.

Colour: Grey with Black Print Blue/White

Odour: None

Use: Fluid absorbent.

3. Hazardous Identification

Not regarded as health hazard under current

legislation

4. Composition

Hazardous Ingredients: None Nature of hazard: None

5. Stability/Reactivity

Hazardous reactions: None

Incompatible with strong acids, strong alkalis, strong oxidisers and other highly aggressive liquids.

6. Storage and handling

Storage: stored in dry conditions

Handling: N/A

7. Transport Information

Not considered hazardous for any type of transport.

8. Exposure controls/Personal Protection

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

9. Spillage/Accidental Release

If fill material is released from fabric,

Sweep up and discard

10. Waste Disposal

Dispose with normal solid waste, or in Accordance with local or national legislation

as appropriate.

11. First Aid Measures

Skin contact: None

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Ingestion: Unlikely to be required but if

necessary, treat
Symptomatically.
Seek medical attention

12. Fire and Explosion

Will burn when exposed to open flame and

incandescent heat.

Hazardous products of combustion:

Carbon Dioxide, Carbon Monoxide and Smoke Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

13. Health and Toxic Data

Polyester outer is non-toxic.

Cellulose absorbent fill:

Skin contact - No evidence of irritant effects

from normal handling.

Eye contact - May cause irritation Long Term - No long term test data.

Exposure - Prolonged or repeated exposure

to the fill material may cause skin

irritation.

14. Environmental Information

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations Persistence and digression:

Regulatory information

User: Not classified as hazardous to users. Transport: Not classified as hazardous transport.

16. Other information

15.

For other technical information, contact the

## SPILKLEEN OIL & FUEL SOCKS & CUSHIONS

Identification 1.

> Manufacturer: Fosse Liquitrol Ltd.

Address: Whetstone Magna, Lutterworth Rd.,

Whetstone, Leics. LS8 3NB.

Telephone: 0843 2211 960 Fax: 0843 2211 961

2. **Physical properties** 

Polyester spunbond fabric, filled with Polypropylene fibre. Unlikely to cause harmful effects when handled

correctly and used as an absorbent.

White/Black print Colour:

Odour: None

Use: Fluid absorbent.

3. **Hazardous Identification** 

Not regarded as health hazard under current

legislation

Composition

Hazardous Ingredients: None Nature of hazard: None

Stability/Reactivity 5.

Hazardous reactions: None Incompatible with strong acids, strong alkalis, strong oxidisers and other highly aggressive liquids.

Storage and handling 6.

Storage: stored in dry conditions

Handling: N/A

7. **Transport Information** 

Not considered hazardous for any type of

transport.

8. **Exposure controls/Personal Protection** 

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

Spillage/Accidental Release 9.

If fill material is released from fabric,

sweep up and discard

10. **Waste Disposal** 

Dispose with normal solid waste, or in accordance with local or national legislation

as appropriate.

**First Aid Measures** 11.

> Skin contact: None

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Ingestion: Unlikely to be required but if

necessary, treat symptomatically. Seek medical attention

12. Fire and Explosion

Will burn if exposed to open flame and incandescent

Hazardous products of combustion: Carbon Dioxide,

Carbon Monoxide and Smoke

Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

13. **Health and Toxic Data** 

Polyester outer is non-toxic.

Polypropylene absorbent fill:

Exposure

Skin contact - No evidence of irritant effects

from normal handling.

Eve contact - May cause irritation

Long Term - No long term test data.

- Prolonged / repeated exposure to the fill material may cause

irritation to the skin.

14. **Environmental Information** 

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations

Persistence and digression:

15. Regulatory information

Not classified as hazardous to users.

Transport: Not classified as hazardous transport.

16. Other information

For other technical information, contact the

### SPILCHOICE MAINTENANCE SOCKS & CUSHIONS

1. Identification

> Manufacturer: Fosse Ltd/Fosse Liquitrol.

Address: Whetstone Magna, Lutterworth Rd.,

Whetstone, Leics. LS8 3NB.

Telephone: 0843 2211 960 0843 2211 961 Fax:

2. Physical properties

Grey nylon and polyester fabric, filled with cellulose fibre.

Unlikely to case any harmful effects when handled correctly and used as an absorbent.

Grey with Black Print Blue/White Colour:

Odour: None

Fluid absorbent. Use:

**Hazardous Identification** 3.

Not regarded as health hazard under current

legislation

4. Composition

Hazardous Ingredients: None Nature of hazard: None

5. Stability/Reactivity

Hazardous reactions: None

Incompatible with strong acids, strong alkalis, strong oxidisers and other highly aggressive liquids.

6. Storage and handling

Storage: stored in dry conditions

Handling: N/A

**Transport Information** 7.

Not considered hazardous for any type of

transport.

8. **Exposure controls/Personal Protection** 

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

9. Spillage/Accidental Release

If fill material is released from fabric,

Sweep up and discard

10. **Waste Disposal** 

> Dispose with normal solid waste, or in Accordance with local or national legislation

as appropriate.

11 **First Aid Measures** 

Skin contact:

Irrigate eye with eyewash Eye contact:

solution or clean water. Seek medical attention.

Unlikely to be required but if Ingestion:

necessary, treat Symptomatically. Seek medical attention

12. Fire and Explosion

Will burn when exposed to open flame and

incandescent heat.

Hazardous products of combustion:

Carbon Dioxide, Carbon Monoxide and Smoke Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

**Health and Toxic Data** 13

Polyester outer is non-toxic.

Cellulose absorbent fill:

Skin contact - No evidence of irritant effects from normal handling.

Eye contact - May cause irritation

Long Term - No long term test data.

Exposure - Prolonged or repeated exposure

to the fill material may cause skin

irritation.

14. **Environmental Information** 

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations Persistence and digression:

Regulatory information 15.

Not classified as hazardous to users. Transport: Not classified as hazardous transport.

16. Other information

For other technical information, contact the

## SPILCHOICE OIL & FUEL SOCKS & CUSHIONS

1. Identification

Manufacturer: Fosse Liquitrol Ltd.

Address: Whetstone Magna, Lutterworth Rd.,

Whetstone, Leics. LS8 3NB.

Telephone: 0843 2211 960 Fax: 0843 2211 961

2. Physical properties

Polyester knitted fabric, filled with Polypropylene fibre. Unlikely to cause harmful effects when handled

correctly and used as an absorbent.

Colour: White/Black print

Odour: None

Use: Fluid absorbent.

3. Hazardous Identification

Not regarded as health hazard under current

legislation

4. Composition

Hazardous Ingredients: None Nature of hazard: None

5. Stability/Reactivity

Hazardous reactions: None Incompatible with strong acids, strong alkalis, strong oxidisers and other highly aggressive liquids.

6. Storage and handling

Storage: stored in dry conditions

Handling: N/A

7. Transport Information

Not considered hazardous for any type of

transport.

8. Exposure controls/Personal Protection

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

9. Spillage/Accidental Release

If fill material is released from fabric,

sweep up and discard

10. Waste Disposal

Dispose with normal solid waste, or in accordance with local or national legislation

as appropriate.

11. First Aid Measures

Skin contact: None

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Ingestion: Unlikely to be required but if

necessary, treat symptomatically. Seek medical attention

12. Fire and Explosion

Will burn if exposed to open flame and incandescent

heat.

Hazardous products of combustion: Carbon Dioxide,

Carbon Monoxide and Smoke

Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

13. Health and Toxic Data

Polyester outer is non-toxic.

Polypropylene absorbent fill:

Skin contact - No evidence of irritant effects

from normal handling.

Eye contact - May cause irritation

Long Term - No long term test data.

Exposure - Prolonged / repeated exposure

to the fill material may cause

irritation to the skin.

14. Environmental Information

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations

Persistence and digression:

15. Regulatory information

User: Not classified as hazardous to users.

Transport: Not classified as hazardous transport.

16. Other information

For other technical information, contact the

### SC-03-301: Spilchoice Loose Absorbent Granules: 'S-O-S'

Absorbent Products: OSOS6

1. Identification

Manufacturer: Fosse Ltd/ Fosse Liquitrol.
Address: Whetstone Magna, Lutterworth Rd.,

Whetstone, Leics. LE8 6NB.

Telephone: 0843 2211 960 Fax: 0843 2211 961

2. Product Discription

Surface modified composite of clay and cellulose fibres.

Form: Mixture of granules and short fibres.

Surface modified

Colour: Off White Odour: None

Use: Absorbent for mineral & hydrocarbon oils

Hydrophobic

Summary

Dry Composite of cellulose fibres and clay.
Unlikely to cause harmful effects when handled

correctly. Inhilation must be avoided.

4. Physio Chemical Data

Solids Content: >90% when packed

Kaolin: Approx 25 Cellulose: Approx 75

5. Stability/Reactivity

Hazardous reactions: When mixed with water can produce very dilute form of methanol. Forms a chemical bond with hydrocarbon and

Mineral oils.

6. Storage

The mineral should be stored in cool, dry conditions; avoid sources of ignition.

7. Handling

The material is a surface treated mixture of granules and fibrous powder, all handling should avoid damaging bags and liberating into the air

8. Personal Protection

Wear suitable protective clothing, gloves, mouth, nose, and eye protection

9. Spillage/Accidental Release

Sweep up and shovel away.

10. Waste Disposal

Dispose with normal solid waste, or in accordance with local or national legislation as appropriate.

11. First Aid Measures

Skin contact: Wash thoroughly with plenty of water

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Ingestion: Unlikely to be required but if

necessary, treat symptomatically. Seek medical attention

Particles may cause physical abrasion

12. Fire and Explosion

Avoid sources of ignition

Flash Point: 110°

Extinguishing Media: Water, Dry Powder or water mist

13. Health and Toxic Data

Skin Contact: Irritation of skin possibe

Eye Contact:

Long term
Exposure: No long term test data is available

14. Environmental Information

Environmental fate and disribution:

Dispose of according to local bye-laws and regulations

Persistence and degredation

The cellulose element of the material biodegrades in a

wide range of microbially active environments.

15. Regulatory information

User: Not classified as hazardous to users

Transprot: Not classified as hazardous transport

16. Other information

For other technical information, contact the

#### SPILKLEEN & SPILCHOICE MAINTENANCE PADS & ROLLS

Identification 1.

> Manufacturer: Fosse Ltd/ Fosse Liquitrol.

Whetstone Magna, Lutterworth Rd., Address:

Whetstone, Leics. LE8 6NB. Telephone: 0843 2211 960

0843 2211 961 Fax:

2. Physical properties

Polypropylene fibre.

Unlikely to cause harmful effects when handled

correctly and used as an absorbent.

Colour: Grey

Odour: None

Fluid absorbent. Use:

**Hazardous Identification** 3.

Not regarded as health hazard under current

legislation

Composition 4.

> Hazardous Ingredients: None Nature of hazard: None

5. Stability/Reactivity

Hazardous reactions: None

Incompatible with strong acids, strong alkalis, strong oxidisers and other highly aggressive liquids.

6. Storage and handling

Storage: The material is hydroscopic and should be stored in dry conditions

Handling: N/A

**Transport Information** 7.

Not considered hazardous for any type of

transport.

**Exposure controls/Personal Protection** 8.

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

9. Spillage/Accidental Release

If material is released from fabric,

sweep up and discard

10. **Waste Disposal** 

Dispose with normal solid waste, or in accordance with local or national legislation

as appropriate.

**First Aid Measures** 11

Skin contact:

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Unlikely to be required but if Ingestion:

> necessary, treat symptomatically. Seek medical attention

Fire and Explosion 12.

Will burn when exposed to open flame and incandescent

heat.

Hazardous products of combustion: Carbon Dioxide,

Carbon Monoxide and Smoke

Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

13. **Health and Toxic Data** 

Polypropylene absorbent:

Skin contact - No evidence of irritant effects

from normal handling.

Eye contact - May cause irritation Long Term - No long term test data.

- Prolonged or repeated exposure

to the fill material may cause skin

irritation

**Environmental Information** 14.

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations

Persistence and digression:

15. Regulatory information

> Not classified as hazardous to users. User:

> Transport: Not classified as hazardous transport.

16. Other information

For other technical information, contact the

### **SPILKLEEN & SPILCHOICE OIL ONLY PADS**

Absorbent Products: SK-05-201, SK-05-202, SK-05-203, SK-05-206, SC-05-201, SC-05-202, SC-05-204, SC-05-206, SK-05-210, SK-05-211

1. Identification

Manufacturer: Fosse Ltd/ Fosse Liquitrol.

Address: Whetstone Magna, Lutterworth Rd.,

Whetstone, Leics. LE8 6NB.

Telephone: 0843 2211 960 Fax: 0843 2211 961

2. Physical properties

Polypropylene fibre.

Unlikely to cause harmful effects when handled

correctly and used as an absorbent.

Colour: White

Odour: None Use: Fluid absorbent.

3. Hazardous Identification

Not regarded as health hazard under current

legislation

4. Composition

Hazardous Ingredients: None

Nature of hazard: None

5. Stability/Reactivity

Hazardous reactions: None

Incompatible with strong acids, strong alkalis,

strong oxidisers and other highly aggressive liquids.

6. Storage and handling

Storage: stored in dry conditions

Handling: N/A

7. Transport Information

Not considered hazardous for any type of

transport.

8. Exposure controls/Personal Protection

Occupational Exposure standard (OES)

Does not apply

Protective Equipment: N/A

9. Spillage/Accidental Release

If material is released from fabric,

sweep up and discard

10. Waste Disposal

Dispose with normal solid waste, or in accordance with local or national legislation

11. First Aid Measures

Skin contact: None

Eye contact: Irrigate eye with eyewash

solution or clean water. Seek medical attention.

Ingestion: Unlikely to be required but if

necessary, treat symptomatically. Seek medical attention

12. Fire and Explosion

Will burn when exposed to open flame and incandescent

heat

Hazardous products of combustion: Carbon Dioxide,

Carbon Monoxide and Smoke

Extinguishing Media: Water, Carbon Dioxide or dry

Chemical

13. Health and Toxic Data

Polypropylene absorbent:

Skin contact - No evidence of irritant effects

from normal handling.

Eye contact - May cause irritation

Long Term - No long term test data.

Exposure - Prolonged or repeated exposure

to the fill material may cause skin

irritation.

14. Environmental Information

Environmental fate and distribution:

Dispose of according to local bye-laws and regulations

Persistence and digression:

15. **Regulatory information** 

User: Not classified as hazardous to users.

Transport: Not classified as hazardous transport.

16. Other information

For other technical information, contact the