Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



AX105538 Modular Connectors - Splice Holder Kit



For more Information please call

1-800-Belden1

Genera	Descr	ipti	ion:

Fiber Splice Holder Kit

IIaaaa A	O	۸
usage (Overall	۱

Suitable Applications: Indoor termination of fiber cables: Patch panels, Communication outlets, Fiber-to-the-desk, Distribution frames, Direct termination to equipment, Fiber cable repair, Campus, Customer premise / Access network.

Related Parts: Fiber connectors, Accessory kit for jacketed termination, Breakout kits

Physical Characteristics (Connectivity)

Weight

Weight: 0.333 lbs.

Included Parts

Included Parts: (4) Splice Holders of 6 positions, (4) Wire Markers, Installation guide

Packaging

Packaging: Clear plastic bag

Mechanical Characteristics (Connectivity)

Storage Temperature Range: -40°C To +70°C Installation Temperature Range: -10°C To +60°C

Applicable Specifications and Agency Compliance (Overall)

Suitability

Suitability - Indoor: Yes - Indoor

Transmission Characteristics (Connectivity)

Notes (Overall)

Product Family

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
AX105538	1 EA	0.000 KG			FXM SPLICE HOLDER KIT (4 X SPL

Revision Number: 0 Revision Date: 01-09-2017

© 2017 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Page 1 of 1