

# Model 1068-00 Susp Ceiling Locking Mount- Aruba Networks APs

Category: Suspended Ceiling Mounts



This locking, suspended ceiling tile-like mount is designed to provide a convenient and aesthetic way to secure Aruba Networks APs in the ceiling. The 1068 features a unique, patented locking mechanism which uses a receiver plate to attach to any of the Aruba Networks' enterprise APs. The receiver plate is then locked into the mount. This permits easy migration to new Aruba Networks APs in the future. Textured, white powder-coated steel and aluminum construction.









## Features & Benefits

- Economical 2' x 2' ceiling tile mount designed for securing Aruba Networks 110/200/210/220/320 APs in a suspended ceiling
- Patent-pending locking mechanism secures AP
- Enclosure back-box is effective dust barrier to simplify ICRA procedure compliance in hospitals
- Simplify code, industry directives, policy, and aesthetics compliance

# **Technical Specifications**

- Design: Economical locking ceiling mount designed specifically for aesthetic, secure mounting of Aruba AP.
- Performance: UL Listed and designed to meet NEC300-22 and 300-23 for plenum installations. OSHPD approved OPM-0110-13.
- Construction: 18 ga. textured white powder-coated steel flange, 16 ga. aluminum back-box. Patent pending universal AP locking mechanism, keyed alike, secures AP from most vendors into the ceiling mount; solid back-box fills opening behind access point, creating an effective fire, smoke, and dust barrier to simplify ICRA compliance
- Product must be supported by the building structure independent of the suspended ceiling, per NEC paragraph 300.11; includes hanger wire
- Size: 23.75 inches by 23.75 inches by 2.5 inches (603 mm by 603 mm by 64 mm) inches

# **Standards for Safety**

- UL 2416, Audio/Video, Information and Communication Technology Equipment Cabinet, Enclosure & Rack Systems
- CSA C22.2 NO. 60950-1-07 + Amd. 1 Amd. 2 Information Technology Equipment -- Safety. Part 1, General Requirements
- OSHPD Approval OPM-110-13

#### Measurements (Maximum values):

- Height: 23.75 in.
- Width: 23.75 in.
- Depth: 3 in.
- Item Weight: 10.5 lbs.
- Shipping Weight: 12 lbs.

### Includes

- (1) Dual Cable Egress Firestop Kit (1" trade size conduit connector, and firestop grommet)
- (4) Hanger wires
- AP Receiver plate
- Mounting Instructions

#### Videos - https://www.youtube.com/user/oberoninc

Watch the model 1068-00 product information video View at https://www.youtube.com/watch?v=xuK56aPtK98&list=UUI\_plZ-

Tmq5mLQY7PONyDzg&index=1&feature=plcp

Watch the model 1068-00 product installation video View at https://www.youtube.com/watch?v=kbQQXl6cb8o&list=UUI\_pIZ-

Tmq5mLQY7PONyDzg&index=2&feature=plcp

### **Documentation Links**

- C Spec Sheet oberoninc.com/index.php?option=com\_content&view=article&id=1243&Itemid=399
- Installation Instructions oberoninc.com/images/WebDocs/Model1068-00\_Installation\_Instructions.pdf
- Customer Prints oberoninc.com/images/WebDocs/Model1068-00\_Customer\_Print.pdf
- SHPD OPM Drawing http://oberoninc.com/images/WebDocs/Oberon\_OPM.pdf
- SECTION 27\_21\_33 DATA COMMUNICATIONS WIRELESS ACCESS POINTS -

http://oberoninc.com/images/WebDocs/SECTION 27\_21\_33 DATA COMMUNICATIONS WIRELESS ACCESS POINTS.pdf

Images and documents may depict similar models in the product series.

**Dimensional Images** 



