Product data sheet Characteristics

ZCE21

limit switch head ZCE - roller lever plunger horizontal direction

Product availability: Stock - Normally stocked in distribution facility



Price* : 15.70 USD



Main

THOUSE .		<u> </u>
Range of product	OsiSense XC	
Series name	Standard format	
Product or component type	Limit switch head	
Device short name	ZCE	
Head type	Plunger head	<u> </u>
Product compatibility	XCKP XCKD XCKT XCMD	nining suitabilik
Associated body	ZCMD25L1 ZCMD25L2 ZCT28G11 ZCP39 ZCT27P16 ZCD25 ZCP28 ZCT28N12 ZCD29 ZCMD39L2 ZCMD81L2 ZCP26 ZCD21 ZCMD21 ZCMD21L08R12 ZCMD25L5 ZCMD21L2 ZCMD25L5 ZCMD21L2 ZCMD21L08U78 ZCMD21C12 ZCMD31L2 ZCMD31L2 ZCMD21C12 ZCMD31L2 ZCMD31L2 ZCMD31L2 ZCMD31L2 ZCMD31L2 ZCMD31L2 ZCMD31 ZCD21M12 ZCMD29C12 ZCMD81L1	licelaimer. This documentation is not intended as a surbstitute for and is not to be used for determining suitability of these produc

ZCMD29L5 ZCMD37L1 ZCMD29L1 ZCD37 ZCD29M12 ZCT26G11 ZCMD37L5 ZCMD41L5 ZCP29 ZCP21 ZCT27G11 ZCMD61C12 ZCD39 ZCP27 ZCMD21L5 ZCP29M12 ZCT28P16 ZCMD21M12 ZCT26P16 ZCT21G11 ZCT27N12 ZCMD41L1 ZCMD61M12 ZCT21P16 ZCP25 ZCMD39L1 ZCP37 ZCMD39L5 ZCT25N12 ZCT21N12 ZCP31 ZCD28 ZCP35 ZCMD69C12 ZCD35 ZCT25P16 ZCMD29L2 ZCT25G11

ZCMD21L1 ZCD26 ZCMD21L2 ZCT26N12

Movement of operating head	Linear
Type of operator	Roller lever plunger spring return thermoplastic
Type of approach	Lateral approach 1 direction

Complementary

Switch actuation	By 30° cam
Positive opening	With

Environment

Ambient air temperature for operation	-13158 °F (-2570 °C)
Ambient air temperature for storage	-40158 °F (-4070 °C)
Environmental characteristic	Standard environment

Ordering and shipping details

Category	22413 - LIMIT SWITCH, IEC, MINIATURE
Discount Schedule	Т
GTIN	00785901298311
Nbr. of units in pkg.	1
Package weight(Lbs)	8.000000000000002E-2
Returnability	Υ
Country of origin	ID

Offer Sustainability

Sustainable offer status	Green Premium product	
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity	
	Schneider Electric declaration of conformity	
REACh	Reference not containing SVHC above the threshold	
	Reference not containing SVHC above the threshold	
Product end of life instructions	Need no specific recycling operations	
Contractual warranty		
Warranty period	18 months	