## **CR-PLSX**



Products Low Voltage Products and Systems Control Products Electronic Relays and Controls Interface Relays and Optocouplers

General Information	
Extended Product Type:	CR-PLSX
Product ID:	1SVR405650R0100
EAN:	4013614528576
Catalog Description:	CR-PLSX Logical socket for 1c/o or 2c/o CR-P relays
Long Description:	The CR-PLSx socket is from the CR-P (pcb) relay range. The logical socket is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has screw connection termi nals. Pluggable function modules, holder and marker are available as accessories.

## Additional Information

CSA Certificate:	CSA_262671-2785566
Country of Origin:	Italy (IT)
Customs Tariff Number:	85389099
Data Sheet, Technical Information:	2CDC117004D0203
Declaration of Conformity - CE:	1SVD982020-0001
E-nummer:	4005316
EAC Certificate:	EAC_RU_C-PL.ME77.B.01873
EAN:	4013614528576
EPLAN Catalog Tree:	Electrical engineering / Relays, contactors / General
ETIM 4:	EC001456 - Relay socket
ETIM 5:	EC001456 - Relay socket
ETIM 6:	EC001456 - Relay socket
Environmental Information:	1SAA981009-2401
Function:	Accessory for interface relays CR-P
IIT Publishing Status:	Level 0 - Information enabled
Industrial IT Certification Level:	0
Instructions and Manuals:	1SVC405650M9020
Invoice Description:	CR-PLSX Logical socket for 1c/o or 2c/o CR-P relays
Minimum Order Quantity:	10 piece
Object Classification Code:	К
Output:	none
Output Signal:	none
Package Level 1 EAN:	4013614373091
Package Level 1 Gross Weight:	0.432 kg
Package Level 1 Height:	64 mm
Package Level 1 Length:	80 mm
Package Level 1 Units:	10 piece
Package Level 1 Width:	159 mm
Power Loss:	
Product Main Type:	CR-P
Product Name:	Socket
Product Net Depth:	78.5 mm
Product Net Height:	61 mm
Product Net Weight:	0.043 kg
Designed and New YAR alking	
Product Net Width:	15.5 mm

	UNI
RoHS Date:	1146
RoHS Information:	1SVD982020-0001
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Short Description:	CR-PLSX Logical socket
Standards:	EN 50581 IEC/EN 61984 UL 508 CAN/CSA C22.2 No.14
Sub-Function:	Socket for pcb relays
Sub-Function 2:	Logical socket for pcb relay 1 c/o or 2 c/o
Suitable For:	CR-P
Terminal Type:	Screw Terminals
UNSPSC:	39120000
cURus Certificate:	cURus508_E244328
eClass:	7.0 27371603

