



## PRODUCT DATA SHEET

Upside Down Marking Paints-Red/Orange Fluorescent, 17 Wt Oz  
No. 18210

### Product Description

Clearly and effectively marks the location of underground utilities. Colors meet the A.P.W.A. One Call International Color Standards. Safe to use on turf grass, fields, and golf courses.

### Color

Red/Orange Fluorescent

### Applications

To identify and code surfaces such as metal, concrete, asphalt, gravel, soil, trees and grass for construction, utility, recreational, municipal and landscaping sites, golf courses, nurseries and surveying.

### Unit Package Description

20 Ounce Aerosol

### Brand

CRC

### Generic Description 1

Upside Down Marking Paints

### Net Fill

17 Wt Oz

### UPC Code

078254182100

### Unit Dimensions

9.25H x 2.63W x 2.63D in

### Units Per Case

6

### Case Dimensions

10H x 5.75W x 8.25D in

### Cases Per Pallet

120

### Case Weight

8 lbs

### I 2 of 5 Code

30078254182101

### Appearance

Red/orange Fluorescent Liquid

### Flash point (F)

-2°F

### Flash point (C)

-19&#176;C

### Flammability Class - CPSC

Extremely Flammable

### Spec Gravity Concentrate

0.77 to 0.85

### Plastic Safe

Yes

### Dry Time - Fully Dry

1 Hour

### Dry Time - Tack Free

30 Minutes

### Coverage

0 to 700 Linear Feet



Last revised: 2/13/2017  
Page 1 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



## PRODUCT DATA SHEET



|                            |  |
|----------------------------|--|
| Propellant                 | Hydrocarbon  |
| Aerosol Flammability Level | III  |
| DOT Proper Shipping Name   | Aerosols, Flammable, Limited Quantity  |
| VOC % (Federal)            | 50.6   |
| VOC g/L (Federal)          | 528  |
| VOC Lbs./Gal. (Federal)    | 4.41   |
| VOC Category               | Aerosol Coating: Ground Traffic/Marking  |
| MIR Limit (EPA)            | 1.2  |
| MIR Limit (CA)             | 0.85   |
| MIR Value                  | 0.57   |
| Removal (How To)           | Remove: WET paint with mineral spirits or turpentine, DRY paint with lacquer thinner/stripper. |

Last revised: 2/13/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.