SIEMENS

Data sheet US2:E0408ML1125F



Siemens Energy Management Residential Specialty Load Centers: Small Circuit (2-10). Sub Brand: Load Centers Type: 1: Application: Residential: Voltage Rating: 120/240V Amperage Rating: 125A Phase: 1PH Load Regulation: 125A Wiring Configuration: 3w Bus Rating: 125A Interrupt Rating: 100000AIC. EQ LC 4S 8C ML 125A N1-F

Configuration of the busbars	125A
Mounting type	Flush
Phase number	1
Suitability for operation	Residential
Electricity	
Ampacity	125 A
Voltage between phase and Ground (GND) rated	120 V
value	
Voltage between phase and phase rated value	240 V
Switching capacity	
Switching capacity Switching capacity current acc. to EN 60898 rated	100000 A
	100000 A
Switching capacity current acc. to EN 60898 rated	100000 A
Switching capacity current acc. to EN 60898 rated value	100000 A Siemens
Switching capacity current acc. to EN 60898 rated value Model	
Switching capacity current acc. to EN 60898 rated value Model product brandname	Siemens
Switching capacity current acc. to EN 60898 rated value Model product brandname Product sub brand name	Siemens Load Centers

Width [in] 2386.545 in

last modified: 06/29/2017