# SPCS610 SPC Manager Software

Remote User management software

**VANDERBILT**



## IP Based Alarm receiver

Vanderbilt`s SPCS610 allows for the remote configuration of users, calendars, doors and profiles on SPC Panels.

**Key Features include:**

- SPC Communications
- Users be added to multiple panels
- Communication link monitoring
- SPC Panel control
- SPC Panel status information
- Operators
- Reporting on SPC panels and operators

**Functions**

- Multi-panel remote operation
- Remote user management
- Remote data access management

**Applications:**

- Secure user management
- Building managers
- Distributed systems

**Languages:**

- English
- German
- French

# Features & Benefits

■ **Multi-panel remote operation**

SPC Manager is a software-based user management tool, which allows you to manage, monitor and control system resources (for example, doors, areas and outputs) across multiple SPC systems in a quick and efficient way.

■ **Remote user management**

SPC Manager supports the concept of global user data across a complete install base of SPC systems, which allows central management of user information for a group of SPC systems in an efficient way

■ **Multi-panel remote access data management**

SPC Manager allows you to remotely manage access data such as cards, calendars and access rights across multiple systems. Its powerful SPC system user profiles provide an easy and quick way to create new users in a daily working environment.

# SPCS610 SPC Manager Software

## Remote User management software

■ **Technical Data**

| System Architecture | |
| --- | --- |
| SPC manager server and client | Windows client/server application |
| SPC manager Database | Microsoft SQL Server 2005 or 2008 |

| System Specification | |
| --- | --- |
| Max. No. Connections | 5      Basic License*<br>100    Standard License<br>1000  Advanced License |
| Max. No. SPC Manager clients: | 1      Basic License*<br>10    Standard License<br>50    Advanced License |
| Max. No. of users in SPC Manager DB:<br>Max. No. of users in panel: | 10,000<br>Up to 2500 (depending on panel type) |
| **Server** | |
| Operating System | Microsoft Windows Server 2008 R2 Microsoft .NET Framework 4.0<br>Microsoft SQL Server 2005 or 2008 |
| Hardware | Intel Core i5-2400 CPU @ 3.1GHz<br>500GB HD available hard disk space<br>1024 x 768 or higher resolution display |
| **Client** | |
| Operating System | Windows XP 32bit<br>Windows 7 (32bit and 64bit)<br>Microsoft .NET Framework 4.0 |
| Hardware | Pentium Dual-Core (E2160) 1MB Cache, 1.80 GHz<br>500GB HD available hard disk space<br>1024 x 768 or higher resolution display |

■ **Ordering Data**

| Type | Art. No. | Description | Weight* |
|------|----------|-------------|---------|
| SPC | S54549-F103-A100 | SPCS610.000 | NA |
| SPC | S54549-F106-A100 | SPCS610.100 Basic License SPC Manager | NA |
| SPC | S54549-F107-A100 | SPCS610.200 Standard License for SPC Manager | NA |
| SPC | S54549-F105-A100 | SPCS610.300 Advanced License for SPC Manager | NA |

* Total weight of the product inclusive of the weight of its accessories and packaging.

■ **Additional Ordering Data**

| Type | Art. No. | Description |
|------|----------|-------------|

| SPC Panels | | |
|------------|----------|-------------|
| SPC6350.320-L1 | V54541-C118-A100 | SPC control panel, 16-512 zones, Ethernet, G5 metal housing |
| SPC6330.320-L1 | V54541-C105-C100 | SPC control panel, 8-512 zones, Ethernet, G3 metal housing |
| SPC5350.320-L1 | V54541-C117-A100 | SPC control panel, 16-128 zones, Ethernet, G5 metal housing |
| SPC5330.320-L1 | V54541-C107-B100 | SPC control panel, 8-128 zones, Ethernet, G3 metal housing |
| SPC5320.320-L1 | V54541-C106-B100 | SPC control panel, 8-128 zones, Ethernet, G2 metal housing |
| SPC4320.320-L1 | V54541-C109-B100 | SPC control panel, 8-32 zones, Ethernet, G2 metal housing |
| SPC4320.220-L1 | V54541-C114-A100 | SPC control panel, 8-32 zones, Ethernet, G2 housing with metal base and plastic cover |

VANDERBILT

Learn more at www.vanderbiltindustries.com