49

Use tumbler series P-41-101/105 Use tumbler series P-41-101/105 Use tumbler series P-41-101/105 Use tumbler series P-41-101/105 was new. Replacement locks including					
Use tumbler series P-41-101/105 Use tumbler series P-41-101/105 was new. Replacement locks including Use tumbler series P-41-101/105					
Use tumbler series P-41-101/105 was new. Replacement locks including Use tumbler series P-41-101/105					
was new. Replacement locks including					
was new. Replacement locks including					
was new. Replacement locks including					
was new. Replacement locks including					
Use tumbler series P-41-101/105					
Use tumbler series P-41-151/154					
attec					
NOTE: C-30-176 is identified by the small nose on the face of the ignition loc to attach the transponder receiver. Use tumbler series P-30-131/134 NOTE: To use C-50-110 on cars with transponder keys remove the black					
				plastic cap attached to the front of the lock. Use tumbler series P-13-101/104 (P-21-111/114)	
Discontinued when out by ASP, now available from Porsche dealers only. Use tumbler series P-26-101/104					
NOTE: This lock is not available using A81L / PW1 keyway. Locks with that keyway may be available from Porsche dealers or classic Porsche parts specialists. Disassembly and rekeying of this lock is not recommended.					
NOTE: This lock is not available using A81L / PW1 keyway. Locks with that keyway may be available from Porsche dealers or classic Porsche parts specialists. Disassembly and rekeying of this lock is not recommended. Use tumbler series P-26-101/104 for locks with A81L / PW1 keyway. Use tumbler series P-31-101/104 for C-31-104 lock using VO9 keyway.					
Use tumbler series P-31-101/104					
Discontinued when out by ASP, now available from Porsche dealers only. Use tumbler series P-26-111/114					
Use tumbler series P-31-101/104					
Discontinued when out by ASP, now available from Porsche dealers only. Use tumbler series P-31-101/104					
Discontinued when out by ASP, now available from Porsche dealers only. Use tumbler series P-31-101/104					
Face cap, remove to disassemble lock originally installed on car: P-31-615 Use tumbler series P-31-171/178					
Replacement locks available from Porsche dealers only. Use tumbler series P-31-171/178					
Replacement locks available from Porsche dealers only Use tumbler series P-31-171/178 Replacement locks available from Porsche dealers only					
Use tumbler series P-31-171/178					
For specific models or years not listed above, replacement locks are available only from Porsche dealers or Porsche					
parts specialists. Tumblers may be available, identify the tumbler series to use according to the key blank used. Try classic Rambler / American Motors parts specialists.					
Use tumbler series P-41-101/105 Use tumbler series P-14-121/124					
Use tumbler series P-14-121/124 Use tumbler series P-14-121/124					
Replacement locks available from Land Rover dealers only.					
Replacement locks available from Land Rover dealers only.					
mble to the original car key. series P-18-141/155					
series P-18-141/155 ontinued when out. If the original , additional parts may be available from					
series P-18-141/155 ontinued when out. If the original , additional parts may be available from 27-211,discontinued when out. If et be reused, additional parts may be ealers.					
series P-18-141/155 ontinued when out. If the original , additional parts may be available from 27-211,discontinued when out. If t be reused, additional parts may be					

Toyota	Celica	1970-11/71	Uncoded plug length	C-30-311	Uncoded plug length	C-30-312	Use tumbler series P-30-141/144		
-			1.16 inch / 29.5 mm		1.08 inch / 27.5 mm				
Toyota	Celica	12/71-74	Coded cylinder Coded cylinder	C-30-102	Use tumbler series P-30-1 Coded cylinder	141/144	1		
Toyota	Celica	1975-79	no tilt steering	C-30-103	with tilt steering	C-30-104	Use tumbler series P-30-141/144		
Toyota	Celica	1980-81	Coded cylinder	C-30-104	Use tumbler series P-30-141/144				
Toyota	Celica	1982-85	Coded cylinder	C-30-114	Use tumbler series P-30-141/144 Use tumbler series P-30-141/144				
Toyota	Celica coupe	1986-89	Coded cylinder	C-30-119					
Toyota	Celica liftback	1986-89	Uncoded cylinder	C-30-126	Use tumbler series P-30-151/157				
Toyota	Celica coupe	1990-93	Coded cylinder	C-30-139	Use tumbler series P-30-161/164				
Toyota	Celica liftback	1990-93	Uncoded service pack	C-30-149	Use tumbler series P-30-151/157 continued when out. Replacement choices as follows:				
Toyota	Celica	1994-99	a. Use coded cylinder C Toyota dealers for 1994- b. Use C-30-068 which o	-30-139 which 99 Celica) can be rekeyed tetal face cap v	cannot be rekeyed to match the original car key (this is the lock now sold by d to the original car key - WARNING: C-30-068 is for Japan specification cars which guards the cylinder, and thus may be considered lower security than the				
Toyota	Celica	2000-05	Coded cylinder	C-30-161	Use tumbler series P-30-1	181/188			
Toyota	Corolla	1970-72	Uncoded plug length 1.16 inch / 29.5 mm	C-30-311	Uncoded plug length 1.08 inch / 27.5 mm	C-30-312	Plugs are available only using T80R keyway and may not match the original keyway on some models. Use tumbler series P-30-141/144		
Toyota	Corolla	1972-74	Coded cylinder	C-30-102	Use tumbler series P-30-1	141/144			
Toyota	Corolla except	1975-79	Coded cylinder	C-30-103	Use tumbler series P-30-141/144				
ioyota	station wagon	1910-19		0-30-103					
Toyota	Corolla station wagon	1975-79	Uncoded plug, must reuse original lock cylinder housing	C-30-313	If the original cylinder assembly housing cannot be reused the C-30-103 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-171/174 for C-30-313 and original lock on the car.				
Toyota	Corolla except station wagon	1980-83	Coded cylinder	C-30-108	Use tumbler series P-30-141/144				
Toyota	Corolla station wagon	1980-83	Uncoded plug, must reuse original lock cylinder housing	C-30-313	If the original cylinder assembly housing cannot be reused the C-30-108 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-171/174 for C-30-313 and original lock on the car.				
Toyota	Corolla	1984-87	Coded cylinder	C-30-107	Use tumbler series P-30-141/144				
Toyota	Corolla FX	1987	Coded cylinder	C-30-107	Use tumbler series P-30-141/144				
Toyota	Corolla FX	1988	Coded cylinder	C-30-119	Use tumbler series P-30-141/144				
Toyota	Corolla	1988-92	Coded cylinder	C-30-118	Use tumbler series P-30-161/164				
Toyota	Corolla wagon 2-wheel drive	1988-92	Uncoded plug, must reuse original lock cylinder housing	C-30-315	If the original cylinder assembly housing cannot be reused the C-30-118 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-151/157 for C-30-315 and original lock on the car.				
Toyota	Corolla station wagon 4-wheel drive (Alltrac)	1988-92	Coded cylinder	C-30-118	Use tumbler series P-30-161/164				
Toyota	Corolla sedan made in Japan	1993-97	Coded cylinder no tilt steering (4.9 in. / 125mm long)	C-30-130	Coded cylinder with tilt steering (5.6 in. / 143mm long)	C-30-131	Use tumbler series P-30-181/188		
Toyota	Corolla sedan made in USA	1993-97	Coded cylinder (5.6 in. / 143mm long)	C-30-131	Use tumbler series P-30-181/188				
Toyota	Corolla station wagon	1993-97	Coded cylinder no tilt steering (4.9 in. / 143mm long)	C-30-147	Coded cylinder with tilt steering (5.6 in. / 143mm long)	C-30-148	Use tumbler series P-30-191/198		
Toyota	Corolla	1998-02	Coded cylinder LE trim level	C-30-152	Coded cylinder CE & VE trim level	C-30-153	Use tumbler series P-30-181/188		
Toyota	Corolla	2003-07	Coded cylinder – cars without transponder Coded cylinder – cars	C-30-173	NOTE: C-30-176 is identified by the small nose on the face of the ignition loc to attach the transponder receiver.				
			with transponder	C-30-176	Use turnibler series P-30-1	Jse tumbler series P-30-131/134			
Toyota	Corona	1970-72	Uncoded plug length 1.16 inch / 29.5 mm	C-30-311	Uncoded plug length 1.08 inch / 27.5 mm	C-30-312	Plugs are available only using T80R keyway and may not match the original keyway on some models. Use tumbler series P-30-141/144		
Toyota	Corona	1972-73	Uncoded plug	C-30-202	Use tumbler series P-30-1	141/144	•		
Toyota	Corona except station wagon	1974-78	Coded cylinder	C-30-105	Use tumbler series P-30-141/144				
Toyota	Corona station wagon	1974-78	Uncoded plug, must reuse original lock cylinder housing	C-30-314	If the original cylinder assembly housing cannot be reused the C-30-105 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-171/174 for C-30-314 and original lock on the car.				
Toyota	Corona except station wagon	1979-82	Coded cylinder	C-30-104	Use tumbler series P-30-141/144				
Toyota	Corona station wagon	1979-82	Uncoded plug, must reuse original lock cylinder housing	C-30-314	If the original cylinder assembly housing cannot be reused the C-30-104 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-171/174 for C-30-314 and original lock on the car.				
Toyota	Cressida sedan, coupe	1978-84	Coded cylinder	C-30-109	Use tumbler series P-30-141/144				
Toyota	Cressida station wagon	1978-84	Uncoded plug, must reuse original lock cylinder housing	C-30-314	If the original cylinder assembly housing cannot be reused the C-30-104 coded cylinder may be used but cannot be rekeyed to the original car key Use tumbler series P-30-171/174 for C-30-314 and original locks on the car.				

ASP PART NUMBERING SYSTEM

The ASP Part Numbering System

Working with the ASP part numbers is easier if you have a basic understanding of the part numbering system, explained here:

The first letter or letters of the part number identify what type of product the part number is:

- A Keying kits and parts assortments
- B Luggage compartment locks
- C Ignition locks
- D Door locks (including complete locks that include the door handle)
- DH Door handles (except complete locks that include the door handle)
- DP Door locks (keyed alike pair)
- E Engine compartment locks
- F Fasteners (including lock retaining clips, shear-head bolts, door panel fasteners, etc.)
- G Glove compartment and stowage locks KB Key blanks
- P Lock service parts (including tumblers, face caps, and other parts)
- RK Remote head key blanks
- S Lock sets
- T Fuel tank locks
- W Ignition switches (wiring assembly only without lock cylinder)

The second two digits of the part number tell you the PRIMARY brand of vehicle that the item is used on:

- 00 Various cars
- 11 Alfa Romeo
- 12 Audi
- 13 BMW
- 14 British Cars (Austin, Jaguar, Land Rover, MG, Range Rover, Triumph)
- 15 British Chrysler (Plymouth Cricket, Sunbeam, Hillman)
- 16 Nissan / Datsun / Infiniti
- 17 Fiat
- 18 European Ford (Capri, Fiesta, Merkur)
- 19 Honda / Acura
- 20 Mazda
- 21 Mercedes-Benz
- 22 Mitsubishi
- 23 GM Europe (Cadillac Catera, Pontiac Lemans, Opel)

- 24 Isuzu (including General Motors brands)
- 25 Peugeot
- 26 Porsche
- 27 Renault
- 28 Saab
- 29 Subaru 30 Tovota / I
 - Toyota / Lexus / Scion / Hino truckVolkswagen
- 31 Volkswag32 Volvo
- 33 Suzuki
- 34 Lada
- 35 Lancia
- 36 Hyundai
- 37 Daihatsu
- 38 Citroen
- 39 Yugo
- 40 Kia
- 41 General Motors USA (Buick, Cadillac, Chevrolet, GMC, Oldsmobile, Pontiac)
- 42 Ford / Lincoln / Mercury (USA)
- 43 American Motors (including some Heavy Trucks and Jeep)
- 44 Chrysler / Dodge / Jeep / Plymouth
- 45 Skoda
- 49 Saturn
- 50 Daewoo (including Chevrolet Aveo, Saturn Vue, other General Motors brands)
- 55 Renault truck (including some Mack trucks)
- 56 Freightliner truck
- 57 Kenworth truck
- 93 Harley Davidson Motorcycle
- 94 Honda Motorcycle
- 98 Yamaha Motorcycle

For example, if you have part number C-30-107, by understanding the part numbering system you will know that the part is an ignition lock (first letter C), which fits a Toyota (second two digits 30).

There are exceptions to this system created by the same part being used on more than one brand of car. Also some parts are used in more than one place on the car – for example, B-14-210 is numbered as a luggage compartment lock, but also is used as an ignition lock or door lock on some cars.

ASP PART NUMBERING SYSTEM

The same part being used on more than one brand of car is explained by lock families, as follows:

Audi - also found on some Porsche and Volkswagen

Ford USA – also found on some Mazda and Nissan

Honda / Acura - also found on some Isuzu

Mazda – also found on some Chrysler imports, Ford imports, General Motors imports, GEO, Mitsubishi, Suzuki

Nissan - also found on some Subaru and Isuzu truck

Toyota – also found on some Chrysler imports, Daihatsu, General Motors imports, GEO, Hyundai, Isuzu, Kia, Mazda, Mitsubishi, Suzuki.

Volkswagen - also found on some Audi and Porsche (tumblers also used on BMW)

You will also find some parts that are used among the brands of the following groups of cars:

British cars - Aston Martin, Austin, English Ford, Jaguar, Jensen, Land Rover, MG, Morgan, Range Rover, Rover car, Sterling car, Triumph, TVR, Volvo.

French cars - Peugeot, Renault, Citroen

German cars - Audi, BMW, Daewoo, General Motors (Cadillac Catera, Chevrolet Aveo, Pontiac Lemans, others), Mini, Porsche, Mercedes-Benz, Volkswagen

Italian cars - Alfa Romeo, Bertone, Ferrari, Fiat, Iveco, Lada, Lamborghini, Lancia, Maserati, Pininfarina, Yugo

Lockcraft Part Numbers

The first two letters of the part number identify what type of product the part number is:

- DL Door lock
- LC Ignition lock
- LS Lock set
- RP Lock service parts (including tumblers, face caps, and other parts)
- SK Keying kits and parts assortments
- TL Luggage compartment locks

Lockcraft part numbers that end in "U" are uncoded locks.

There have been many changes to the Lockcraft part numbers over the past years, explained as follows:

Most old Lockcraft part numbers had no letter prefix. For example, old part number 1426 was changed to LC1426 to identify the type of product.

Some old Lockcraft part numbers had a letter prefix "A", which was changed to "RP". For example, part number A6001 was changed to RP6001. This could be confusing if you have an old Lockcraft or All Lock keying kit or parts assortment which identified the parts inside by the letter prefix "A". When reordering simply change the "A" to "RP".

Some old Lockcraft part numbers had a digit "3" at the end of the part number, which designated poly bag packaging. For example, part number LC14263 designated the LC1426 ignition lock in a poly bag. The currently used part numbers now eliminate the "3" at the end and using the example LC14263 is now simply LC1426.

Some old Lockcraft part numbers had a digit "8" at the end of the part number, which designated that it was an uncoded lock. For example, part number LC14268 designated the LC1426 ignition lock in uncoded form. The currently used part numbers now use "U" at the end of the part number instead of the "8". Using the example LC14268 is now LC1426U.

213

Part Number Listings and Popularity Ratings

Pages 214-233 contain a complete listing of ASP part numbers, with the 2008 popularity rating for each part number. The popularity ratings are explained as follows:

- A = Most popular items (lock cylinders and replacement parts)
- **B** = Second most popular group of lock cylinders
- Y = Replacement parts (keying kit refill tumblers, face caps, etc.), popularity equivalent to B-rated lock cylinders
- **C** = Third most popular group of lock cylinders

Z = Replacement parts (keying kit refill tumblers, face caps, etc.), popularity equivalent to C-rated lock cylinders

H = Items not recommended for stock by distributors, these parts are normal stock items for the ASP warehouse and available for drop shipments (HI-SPEED delivery). Orders must be placed through your distributor, and are subject to stock on hand at ASP. Some distributors may have selected H-rated items in stock.

S = Special order items only, may not be in stock at ASP. These items may be subject to minimum order quantities if needed. Some distributors may have selected S-rated items in stock.

DWO = Discontinued when out. Some items may still have limited stock at ASP or at some distributors, but will not be restocked when existing supplies are sold out.

ASP products are sold through the network of locksmith supply distributors located throughout the USA and Canada.

With over 4,000 different part numbers in our range, it is impossible and impractical for distributors to keep every part number in stock. Thus we have assigned each of our part numbers a popularity rating to assist distributors in keeping stock. We have implemented new distributor stocking programs based on these popularity ratings. Please check www.carlocks.com for the most current information about our distributor stocking guidelines. ASP is working closely with our distributors to provide you the fastest delivery possible at the lowest possible cost.

Distributors who make a commitment to keep stock according to our recommendations are listed on www.carlocks.com This list is subject to change at any time. Distributors who do not keep the stocking commitment will be removed from the list.

Explanation of other notes on the part number listing

a. Some items have (now use ...) to the right of the part number, with a rating of DWO. For example: A-13-105 (now use A-31-110) – this means that A-13-105 has been superseded by A-31-110.

b. Some items have (substitute ...) to the right of the part number, with a rating of DWO.

For example: B-19-154 (substitute B-19-155) - this means that you can substitute B-19-155 for B-19-154, but there is some difference between the two parts. A complete listing of these part numbers with a brief explanation of the difference between each superseded part and the replacement part is provided on pages 234-237.

c. Some items have (see ...) to the right of the part number, with no popularity rating.

For example: B-16-105 (see B-16-205), with no popularity rating. Then go to B-16-205 and you will see it listed as B-16-205 (B-16-105) with the popularity rating of B. This is a result of our consolidating some similar interchangeable part numbers. In this example, whether you order B-16-105 or B-16-205, you will get the same part at the same price. A complete listing of these part numbers is provided on pages 238-239.