

MOS Stainless-Steel Wallplates

APPLICATION

Leviton Multimedia Outlet System (MOS) Stainless-Steel Wallplates provide flush-mount workstation connectivity for copper, fiber, and AV applications. Wallplates accept all MOS modules. The stainless steel wallplates are offered in single-, dual-, and three-gang sizes to provide a durable multimedia solution for education, healthcare, conference rooms, and many other applications. ID windows conceal the mounting screws and provide clean, aesthetic labeling.







SPECIFICATION

Wallplates shall be front-loading, such that reconfiguration shall be possible from the front without requiring removal or detachment of the wallplate. Wallplate mounting screw holes shall be hidden behind labeling identification windows at the top and bottom of each wallplate opening. Label areas shall be compatible with ANSI/TIA-606-B labeling requirements. Wallplates shall be manufactured from type 304 stainless steel, and shall be available in 1-, 2-, or 3-gang sizes.

FEATURES

- Front-loading modules allow access to rear connections or terminations without removing entire wallplate
- Ideal for locations where an aesthetic flush-mount look is important along with the durability and appearance of stainless steel is required
- ID windows provide labeling option and conceal mounting screws
- Beveled edge protects against damage from side impact of furniture, equipment, or other forces

DESIGN CONSIDERATIONS

- Accepts 1-, 1.5-, 2-, and 3-unit-high MOS modules
- · Wallplates available in 1-, 2-, and 3-gang sizes
- Wallplates mount to standard NEMA boxes, mud rings, and reducers

PHYSICAL SPECIFICATIONS

Capacity: Each wallplate opening ("gang") has a three-unit capacity for MOS modules:

- Three 1-unit high inserts
- Two 1.5-unit high inserts
- One 2-unit high insert + one 1-unit high
- One 3-unit high insert

Dimensions: see page two

Materials: Type 304 stainless steel

Black polycarbonate (UL 94V-0)

STANDARDS COMPLIANCE

ANSI/TIA-568-C, cULus, RoHS compliant

COUNTRY OF ORIGIN

Taiwan

WARRANTY INFORMATION

For a copy of Leviton product warranties, visit www.leviton.com/warranty

Page 1 of 2

Leviton Network Solutions Asia / Pacific

2222 - 222nd St. SE Bothell, WA 98021-4416

tel 1-800-824-3005 tel +1-425-486-2222 appeng@leviton.com www.leviton.com

T +1.631.812.6228 E infoasean@leviton.com

T +44.0.1592.772124 $\textbf{E} \ \text{customerservice@brand-rex.com}$ Canada T+1 514 954 1840

E pcservice@leviton.com

India / SAARC

T +971.4.886.4722

E infoindia@leviton.com

Caribbean T+1.954.593.1896

E infocaribbean@leviton.com

E lsamarketing@leviton.com

T+52.55.5082.1040

China T+852 2774 9876

E infochina@leviton.com

Colombia


T+57.1.743.6045 E infocolombia@leviton.com


Middle East & Africa South Korea T+82.2.3273.9963 T+971.4.886.4722 E Imeinfo@leviton.com E infokorea@leviton.com





ELECTRONIC FILES

For CAD files, typical specs, or technical drawings (.DXF, .DWG), visit www.leviton.com.









Part No.
41290-SMS
41290-DMS
41290-TMS

A18 7104



Page 2 of 2

Leviton Network Solutions Asia / Pacific 2222 - 222nd St. SE Bothell, WA 98021-4416

tel 1-800-824-3005 tel +1-425-486-2222 appeng@leviton.com www.leviton.com

T +1.631.812.6228 E infoasean@leviton.com

T +44.0.1592.772124 $\textbf{E} \; \texttt{customerservice@brand-rex.com}$ Canada **T** +1.514.954.1840 E pcservice@leviton.com

India / SAARC **T** +971.4.886.4722 E infoindia@leviton.com

Caribbean **T** +1.954.593.1896 E infocaribbean@leviton.com

Mexico T +52.55.5082.1040 E lsamarketing@leviton.com

China **T** +852.2774.9876

E infochina@leviton.com

Middle East & Africa T +971.4.886.4722

Colombia T+57.1.743.6045 E infocolombia@leviton.com

South Korea T +82.2.3273.9963 E Imeinfo@leviton.com E infokorea@leviton.com