

DRAWING NO. SD007774	COPPER CONDUCTOR		FIG. NO.	COLOR CODE	DIMENSIONS		
	NAVY ³	COMMERCIAL			B MIN.	L	O.D.
YS8C	23	#8 AWG STR/SOL #8 AWG FLEX #6 AWG SOL	1	RED	.78 [20]	1.75 [44]	.27 [7]
YS6C ⁸	----	#6 AWG STR/SOL	1	BLUE	1.09 [28]	2.38 [60]	.29 [7]
YS5C	30	#5 AWG	1	BLUE	1.09 [28]	2.55 [65]	.30 [8]
YS4C	40	#4 AWG	1	GRAY	1.09 [28]	2.55 [65]	.34 [9]
YS3C	50	#3 AWG	1	WHITE	1.22 [31]	2.80 [71]	.38 [10]
YS2C	60	#2 AWG	1	BROWN	1.22 [31]	2.82 [71]	.42 [11]
YS1C	75	#1 AWG	1	GREEN	1.34 [34]	3.07 [78]	.46 [12]
YS25	100	1/0 AWG	1	PINK	1.34 [34]	3.08 [78]	.51 [13]
YS26	125	2/0 AWG	1	BLACK	1.45 [37]	3.30 [84]	.56 [14]
YS27	150	3/0 AWG	1	ORANGE	1.45 [37]	3.30 [84]	.62 [16]
YS28	200	4/0 AWG	1	PURPLE	1.58 [40]	3.57 [91]	.69 [18]
YS29	250	250 kcmil	1	YELLOW	1.58 [40]	3.58 [91]	.75 [19]
YS30	300	300 kcmil	2	WHITE	1.95 [50]	4.34 [110]	.81 [21]
YS31	350	350 kcmil	2	RED	1.95 [50]	4.35 [110]	.88 [22]
YS32	400	400 kcmil	2	BLUE	2.08 [53]	4.62 [117]	.95 [24]
YS33	----	450 kcmil	2	GRAY	2.08 [53]	4.63 [118]	1.01 [26]
YS34	----	500 kcmil	2	BROWN	2.20 [56]	4.91 [125]	1.06 [27]
YS35	500	550 kcmil	2	YELLOW	2.56 [65]	5.71 [145]	1.13 [29]
YS36 YS36UNPL	----	600 kcmil	2	GREEN	2.63 [67]	5.85 [149]	1.18 [30]
YS37	650	650 kcmil	2	ORANGE	2.75 [70]	6.10 [156]	1.23 [31]
YS38	----	700 kcmil	2	PINK	2.75 [70]	6.24 [158]	1.25 [32]
YS39 YS39UNPL	----	750 kcmil	2	BLACK	2.81 [71]	6.38 [162]	1.30 [33]
YS40	----	800 kcmil	2	ORANGE	2.88 [73]	6.39 [162]	1.35 [34]
YS41	800	850 kcmil	2	GOLD	2.88 [73]	6.53 [166]	1.38 [35]
YS44	----	1000 kcmil	2	WHITE	2.94 [75]	6.55 [167]	1.49 [38]
⁶ YS443	1000	-----	2	----	2.94 [75]	6.96 [177]	1.55 [39]
YS45	----	1250 kcmil	2	YELLOW	3.13 [80]	6.97 [177]	1.69 [43]
YS453	1300	1300 kcmil	2	ORANGE	3.13 [80]	6.98 [177]	1.74 [44]
YS46	----	1500 kcmil	2	GREEN	3.13 [80]	7.01 [178]	1.84 [47]
⁶ YS466	1600	-----	2	----	3.13 [80]	7.51 [191]	1.94 [49]
YS47	----	1750 kcmil	2	GRAY	3.38 [86]	7.33 [186]	1.98 [50]
YS48	----	2000 kcmil	2	BROWN	3.27 [83]	7.57 [192]	2.13 [54]
⁶ YS481	2000	-----	2	----	3.38 [86]	8.08 [205]	2.18 [55]
⁶ YS486	----	2500 kcmil	2	----	3.63 [92]	8.10 [206]	2.38 [60]

NOTES:

- MATERIAL: COPPER TUBING.
- FINISH: TIN PLATED.
- ³ FOR SILVER PLATED VERSION OF HYLINKS™ THE SUFFIX SHOULD FOLLOW THE CATALOG NUMBER. (EXAMPLE: "SV" = SILVER PLATED).
- DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED AND ARE FOR REFERENCE ONLY.
- UL LISTED AND CSA CERTIFIED SPLICING WIRE CONNECTORS.
- ⁶ THESE SPLICES ARE NOT UL LISTED OR CSA CERTIFIED.
- ⁷ ADD SUFFIX "UNPL" FOR UNPLATED CONNECTORS WITH NO BARREL MARKINGS.
- ⁸ DO NOT USE PAT644 OR Y644 WITH 6 AWG SOLID.

REV	DATE	DESCRIPTION	ECO	BY	CHK
L	07/11/2016 00:00:00 AM	TABLE UPDATED IN SHEET #2,3,4	44296	SPR	DD




FIGURE 1




FIGURE 2

SEE PGS. 2 THRU 4 FOR TOOLING

TO ORDER BURNDY® PRODUCTS CALL		HYLINK™	
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)		ITEM NO: N/A	CAT. NO: YS--(TABLE)
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)		DRAWN BY: CRA 10/11/76	CHECKER: P.LAPONIUS 08/07/97
FOR PRODUCT INFO: http://www.burndy.com		DSN APPVL: K.WOO 08/08/97	MFG APPVL: --
		QA APPVL: S.GARY 09/09/97	MKT APPVL: --
		SCALE: 1:1	PROJ #: --
		SIZE: D	DRAWING NO: SD007774
		REL LEVEL: Released	SHEET 1 OF 4

REV: PEO200

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION		MECHANICAL RATCHET					HYDRAULIC					DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
		DIE INDEX	TYPE	4 Y1MRTC Y122CMR	OUR840	MD6 MD7	MD6-R2 PATMD6	MD7-34R	5 Y34A Y34B Y34BH	3 Y35, Y39 Y750, PAT750	3 Y46 PAT46	3 Y45	Y48B			Y60BHU
YS8C	RED	49	RED DIE SET	RED (2)	X8CRT (2)	W8CVT (2) W8CRT (2)	W8CVT (2) W8CRT (2)	W8CVT (2) W8CRT (2)	----	U8CRT (2)	U8CRT (2)	U8CRT (2)	----	----	Y8MRB1(2) MY29-3(2) MY29-1(2)	7/8
			NEST	----	----	----	----	----	----	----	----	----	----	----		
			INDENTOR	----	----	----	----	----	----	----	----	----	----	----		
YS6C	BLUE	7 374	BLUE DIE SET	BLUE (2)	X5CRT (2)	W5CVT (2) W5CRT (2)	W5CVT (2) W5CRT (2)	W5CVT (2) W5CRT (2)	----	U5CRT (2) U8CABT (2)	U5CRT (2) U8CABT (2)	U5CRT (2) U8CABT (2)	----	----	MY29-3(2) MY29-1(2) Y81KFT(1) Y644(1)	1-3/16
NEST			----	----	----	----	----	B6CD(1) A6CD(1)	U6CD-1 (1)	U6CD-1 (1)	U6CD-1 (1)	----	----			
YS5C			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS4C	GRAY	8 346	GRAY DIE SET	GRAY (4)	X4CRT (2)	W4CVT (2) W4CRT (2)	W4CVT (2) W4CRT (2)	W4CVT (2) W4CRT (2)	----	U4CRT (2) U6CABT (2)	U4CRT (2) U6CABT (2)	U4CRT (2) U6CABT (2)	----	----	MY29-3(2) MY29-1(2)	1-3/16
			NEST	----	----	----	----	----	B4CD(1) A4CD(1)	U4CD-1 (1)	U4CD-1 (1)	U4CD-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS3C	WHITE	9	WHITE DIE SET	WHITE (4)	W3CRT (2)	W3CRT (2)	W3CRT (2)	W3CRT (2)	----	U3CRT (2)	U3CRT (2)	U3CRT (2)	----	----	MY29-3(2) MY29-1(2)	1-5/16
			NEST	----	----	----	----	----	B3CD(1) A3CD(1)	U3CD-1 (1)	U3CD-1 (1)	U3CD-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS2C	BROWN	10	BROWN DIE SET	BROWN (4)	X2CRT (2)	W2CVT (2) W2CRT (2)	W2CVT (2) W2CRT (2)	W2CVT (2) W2CRT (2)	----	U2CRT (2)	U2CRT (2)	U2CRT (2)	----	----	Y81KFT(2) Y644(1)	1-5/16
			NEST	----	----	----	----	----	B2CD(1) A2CD(1)	U2CD-1 (1)	U2CD-1 (1)	U2CD-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS1C	GREEN	11 375	GREEN DIE SET	GREEN (4)	X1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	W1CVT (2) W1CRT-1 (2)	----	U1CRT-1 (2) U4CABT (2)	U1CRT-1 (2) U4CABT (2)	U1CRT-1 (2) U4CABT (2)	----	----	MY29-3(2) MY29-1(2)	1-7/16
			NEST	----	----	----	----	----	B1CD(1) A1CD(1)	U1CD-1 (1)	U1CD-1 (1)	U1CD-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS25	PINK	12 348	PINK DIE SET	----	X25RT (4)	W25VT (4) W25RT (4)	W25VT (4) W25RT (4)	W25VT (4) W25RT (4)	A25R (2)	U25RT (2) U2CABT (2)	U25RT (2) U2CABT (2)	U25RT (2) U2CABT (2)	----	----	MY29-3(2) MY29-1(2)	1-7/16
			NEST	----	----	----	----	----	B25D(1) A25D(1)	U25D-1 (1)	U25D-1 (1)	U25D-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS26	BLACK	13	BLACK DIE SET	----	X26RT (4)	W26VT (4) W26RT (4)	W26VT (4) W26RT (4)	W26VT (4) W26RT (4)	----	U26RT (2)	U26RT (2)	U26RT (2)	----	----	MY29-3(2) MY29-1(2)	1-1/2
			NEST	----	----	----	----	----	B26D(1) A26D(1)	U26D-1 (1)	U26D-1 (1)	U26D-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS27	ORANGE	14	ORANGE DIE SET	----	X27RT (6)	W27VT (4) W27RT (4)	W27VT (4) W27RT (4)	W27VT (4) W27RT (4)	----	U27RT (2)	U27RT (2)	U27RT (2)	----	----	Y81KFT(2) Y644(1)	1-1/2
			NEST	----	----	----	----	----	B27D(1) A27D(1)	U27D-1 (1)	U27D-1 (1)	U27D-1 (1)	----	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	----	----		
YS28	PURPLE	15	PURPLE DIE SET	----	X28RT (6)	W28VT (4) W28RT (4)	W28VT (4) W28RT (4)	W28VT (4) W28RT (4)	----	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)	MY29-3(2) MY29-1(2)	1-11/16
			NEST	----	----	----	----	----	B28D(1) A28D(1)	U28D-1 (1)	U28D-1 (1)	U28D-1 (1)	C28D (1)	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----		
YS29	YELLOW	16	YELLOW DIE SET	----	X29RT (8)	W29VT (4) W29RT (4)	W29VT (4) W29RT (4)	W29VT (4)	A29R (2)	U29RT (2)	U29RT (2)	U29RT (2)	C29R (2)	L29RT (1)	MY29-3(2) MY29-1(2)	1-11/16
			NEST	----	----	----	----	----	B29D(2) A29D(2)	U29D-1 (2)	U29D-1 (2)	U29D-1 (2)	C29D (1)	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----		
YS30	WHITE	17 298	WHITE DIE SET	----	----	----	W30RT (4)	W30VT (4)	A28AR (2)	U30RT (4) U28ART (4)	U30RT (4) U28ART (4)	U30RT (4) U28ART (4)	C30R (2) C28AR (1)	L30RT (2)	Y81KFT (3) Y644 (1)	2-1/16
			NEST	----	----	----	----	----	B30D(2) A30D(2)	U30D-1 (2)	U30D-1 (2)	U30D-1 (2)	C30D (2)	----		
			INDENTOR	----	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----		

NOTE:
 1 CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 2 CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 3 Y35P3 INDENTOR ADAPTOR REQUIRED FOR Y34PR INDENTOR.
 4 PERMANENT DIE IN TOOLING. Y122CMR INSTALLS UP TO 2 AWG.
 5 FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS™ NO NEW Y34A HYPRESS™ TOOLS ARE BEING PROCESSED.
 6 "X", "W-RT", "W-VT", "U" & "L" DIE SETS ARE COLOR CODED. "A", "B" & "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.
 7 OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.
 8 DO NOT USE PAT644 OR Y644 WITH 6 AWG SOLID.

REV: PE0200 A	TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com		HYLINK™ TOOLING ITEM NO: N/A CAT. NO: YS--(TABLE) DRAWN BY: CR. ACANO 06/10/77 CHECKER: C. AN 06/10/77 DSN APPVL: TB 06/24/77 MFG APPVL: -- QA APPVL: S. GARY 09/09/97 MKT APPVL: G. SCHWEBLER 8/19/97 PROD FAM: CM&R_Compression PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released	
	SCALE: 1:1		DRAWING NO: SD007774 SHEET 2 OF 4	
	SIZE: D		REV: L	
	DATE: 07/11/2016 00:00:00 AM DESCRIPTION: TABLE UPDATED IN SHEET 02.3.4 ECO: 44296 BY: SPR C'H'K: DD		BURNDY	
	8		7	

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION		MECHANICAL RATCHET					HYDRAULIC					DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
		DIE INDEX	TYPE	YIMRTC	OUR840	MD6 MD7	MD6-R2 PATMD6	MD7-34R	Y34A Y34B Y34BH	Y35, Y39 Y750, PAT750	Y46 PAT46	Y45	Y48B			Y60BHU
YS31	RED	18 324	RED DIE SET	----	----	----	W31VT (4) W31RT (4)	W31VT (4)	----	U31RT (4) U29ART (4)	U31RT (4) U29ART (4)	U31RT (4) U29ART (4)	C31R (2) C29AR (1)	L31RT (2) L29ART (1)	HYDRAULIC, Y644M (1) Y81KFT(3)	2-1/16
			NEST	----	----	----	----	B31D(2) A31D(2)	U31D-1 (2)	U31D-1 (2)	U31D-1 (2)	C31D (2)	----			
			INDENTOR	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----			
YS32	BLUE	19 470	BLUE DIE SET	----	----	----	W32VT (4) W32RT (4)	W32VT (4)	----	U32RT (4) U30ART (4)	U32RT (4) U30ART (4)	U32RT (4) U30ART (4)	C32R (2) C30AR (1)	L32RT (2) L30ART (1)	HYDRAULIC, Y644M (1) Y81KFT(3)	2-1/16
			NEST	----	----	----	----	B32D(2) A32D(2)	U32D-1 (2)	U32D-1 (2)	U32D-1 (2)	C32D (2)	----			
			INDENTOR	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----			
YS33	GRAY	326 538	GRAY DIE SET	----	----	----	W33VT (4)	W33VT (4)	----	U33RT (4)	U33RT (4)	U33RT (4)	----	L33RT (1)	HYDRAULIC, Y644M (1) Y81KFT(3)	2-3/16
			NEST	----	----	----	----	B33D(2) A33D(2)	U33D-1 (2)	U33D-1 (2)	U33D-1 (2)	C33D (1)	----			
			INDENTOR	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----			
YS34	BROWN	20 299	BROWN DIE SET	----	----	----	W34VT (4) W34RT (4)	W34VT (4)	----	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-1/4
			NEST	----	----	----	----	B34D(2) A34D(2)	U34D-1 (2)	U34D-1 (2)	U34D-1 (2)	C34D (2)	----			
			INDENTOR	----	----	----	----	Y34PR	Y34PR	Y34PR	Y34PR	Y48PR	----			
YS35	YELLOW	21	YELLOW DIE SET	----	----	----	----	----	----	U35RT (4)	U35RT (4)	U35RT (4)	----	L35RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-5/8
			NEST	----	----	----	----	----	----	----	P35D (2)	----	C35D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS36 YS36UNPL	GREEN	22 472	GREEN DIE SET	----	----	----	----	----	----	U36RT (4) U32ART (4)	U36RT (4) U32ART (4)	U36RT (4) U32ART (4)	C36R (2) C32AR (2)	L36RT (2) L36ART (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-11/16
			NEST	----	----	----	----	----	----	----	P36D (2)	----	C36D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS37	ORANGE	23	ORANGE DIE SET	----	----	----	----	----	----	U37RT (4)	U37RT (4)	U37RT (4)	C37R (2)	L37RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-13/16
			NEST	----	----	----	----	----	----	----	P37D (2)	----	C37D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS38	PINK	400	PINK DIE SET	----	----	----	----	----	----	U38RT (4)	U38RT (4)	U38RT (4)	----	L38RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-13/16
			NEST	----	----	----	----	----	----	----	P38D (2)	----	C38D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS39 YS39UNPL	BLACK	24	BLACK DIE SET	----	----	----	----	----	----	U39RT (4)	U39RT (4) P39RT (4)	U39RT (4) S39RT (4)	C39R (2) C36AR (2)	L39RT (2) L32ART (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	2-7/8
			NEST	----	----	----	----	----	----	----	P39D (2)	----	C39D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS40	ORANGE	25	ORANGE DIE SET	----	----	----	----	----	----	----	P40RT (4)	S40RT (4)	C40R (2)	L40RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	3
			NEST	----	----	----	----	----	----	----	P40D (2)	----	C40D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS41	GOLD	26	GOLD DIE SET	----	----	----	----	----	----	----	P41D (2)	----	C41D (2)	----	HYDRAULIC, Y644M (1) Y81KFT(4)	3
			NEST	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		
YS44	WHITE	27	WHITE DIE SET	----	----	----	----	----	----	----	P44RT (2)	S44RT (4)	C44R (2)	L44RT (2)	HYDRAULIC, Y644M (1) Y81KFT(4)	3
			NEST	----	----	----	----	----	----	----	P44D (2)	----	C44D (2)	----		
			INDENTOR	----	----	----	----	----	----	----	P44PR	----	Y48PR	----		

NOTES:
 1 CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS. ADD SUFFIX "UNPL" FOR UNPLATED CONNECTORS WITH NO BARREL MARKINGS.
 2 CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 3 Y35P3 INDENTOR ADAPTOR IS REQUIRED FOR Y34PR INDENTOR.
 4 FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS™. NO NEW HYPRESS™ TOOLS ARE BEING PROCESSED. Y34A USES A--D NEST DIES ONLY.
 5 "X", "W-VT", "U" & "L" DIE SETS ARE COLOR CODED. "A", "B" & "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.
 6 OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

TO ORDER BURNDY® PRODUCTS CALL		HYLINK™ TOOLING	
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)		ITEM NO: N/A	CAT. NO: YS--(TABLE)
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)		DRAWN BY: C. RACANO 06/10/77	CHECKER: P. LAPONTUS 08/07/97
FOR PRODUCT INFO: http://www.burndy.com		DSN APPVL: K.WOO 08/08/97	MFG APPVL: --
		GA APPVL: S.GARY 09/09/97	MKT APPVL: G.SCHWEBLER 8/19/97
		PROD FAM: CM&R_Compression	DRAWING NO: SD007774
		PROJECT #: --	SCALE: 1:1
		DOCUMENT TYPE: Sales	REV: L
		REL LEVEL: Released	SHEET 3 OF 4

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
L	07/11/2016 00:00:00 AM	TABLE UPDATED IN SHEET #2,3,4	44296	SPR	DD

REV: PE0200

INSTALLATION TOOLING (# CRIMPS PER END)

CATALOG NO.	COLOR CODE	DIE INFORMATION		MECHANICAL RATCHET					HYDRAULIC					WIRE STRIP LENGTH				
		DIE INDEX	TYPE	YIMRTC	OUR840	MD6 MD7	MD6-R2 PATMD6	MD7-34R	Y34A Y34B Y34BH	Y35, Y39 Y750, PAT750	Y46 PAT46	Y45	Y48B		Y60BHU			
YS443	----	28	----	DIE SET	----	----	----	----	----	----	----	----	----	3				
			----	NEST	----	----	----	----	----	----	----	----	C443D (2)		----			
			----	INDENTOR	----	----	----	----	----	----	----	----	----		Y48PR	----		
YS45	YELLOW	29	----	YELLOW DIE SET	----	----	----	----	----	----	----	P45RT (6)	S45RT (6)	C45R (3)	L45RT (3)	3-3/16		
			----	NEST	----	----	----	----	----	----	----	----	P45D (3)	----	C45D (3)		----	
			----	INDENTOR	----	----	----	----	----	----	----	----	P44PR	----	Y48PR		----	
YS453	ORANGE	30	----	ORANGE DIE SET	----	----	----	----	----	----	----	----	----	----	----	3-3/16		
			----	NEST	----	----	----	----	----	----	----	----	----	----	C453D (3)		----	
			----	INDENTOR	----	----	----	----	----	----	----	----	----	----	Y48PR		----	
YS46	GREEN	31	----	GREEN DIE SET	----	----	----	----	----	----	----	----	P46RT (6)	S46RT (6)	C46R (3)	L46RT (3)	3-3/16	
			----	NEST	----	----	----	----	----	----	----	----	----	----	C46D (3)	----		
			----	INDENTOR	----	----	----	----	----	----	----	4	P44PR (2)	----	Y48PR	----		
YS466	----	5	727	----	DIE SET	----	----	----	----	----	----	----	----	----	L727 (2)	6	3-3/16	
		----	NEST	----	----	----	----	----	----	----	----	----	----	----	C466D (2)	----		
		32	INDENTOR	----	----	----	----	----	----	----	----	----	----	----	Y48PR	----		
YS47	GRAY	33	----	GRAY DIE SET	----	----	----	----	----	----	----	----	----	----	C47R (6)	L47RT (3)	3-7/16	
			----	NEST	----	----	----	----	----	----	----	----	----	----	----	C47D (3)		----
			----	INDENTOR	----	----	----	----	----	----	----	----	----	----	----	Y48PR		----
YS48	BROWN	34	----	BROWN DIE SET	----	----	----	----	----	----	----	----	----	----	----	L48RT (4)	3-3/8	
			----	NEST	----	----	----	----	----	----	----	----	----	----	----	C48D (2)		----
			----	INDENTOR	----	----	----	----	----	----	----	----	----	----	----	Y48PR		----
YS481	----	35	----	DIE SET	----	----	----	----	----	----	----	----	----	----	----	----	3-7/16	
			----	NEST	----	----	----	----	----	----	----	----	----	----	----	C481D (2)		----
			----	INDENTOR	----	----	----	----	----	----	----	----	----	----	----	Y48PR		----
YS486	----	----	----	DIE SET	----	----	----	----	----	----	----	----	----	----	----	L486RT (3)	3-11/16	
			----	NEST	----	----	----	----	----	----	----	----	----	----	----	----		
			----	INDENTOR	----	----	----	----	----	----	----	----	----	----	----	----		

- NOTES:
- 1 CATALOG NO. PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 - 2 CATALOG NO. PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 - 3 "L" DIE SETS ARE COLOR CODED "P", "S" AND "C" DIES ARE NOT COLOR CODED. NESTS AND INDENTOR TYPE ARE NOT COLOR CODED.
 - 4 INDENTOR ONLY- NO NEST REQUIRED.
 - 5 HEXAGONAL CRIMP
 - 6 OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

TO ORDER BURNDY® PRODUCTS CALL		HYLINK™ TOOLING	
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)		ITEM NO: N/A	CAT. NO: YS--(TABLE)
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)		DRAWN BY: C. RACANO 06/10/77	CHECKER: P. LAPONTUS 08/07/97
FOR PRODUCT INFO: http://www.burndy.com		DSN APPVL: K. WOO 08/08/97	MFG APPVL: --
		QA APPVL: S. GARY 09/09/97	MKT APPVL: G. SCHWEBLER 8/19/97
		PROD FAM: CM&R_Compression	SCALE: 1:1
		PROJECT #: --	SIZE: D
		DOCUMENT TYPE: Sales	DRAWING NO: SD007774
		REL LEVEL: Released	REV: L
			SHEET 4 OF 4

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
L	07/11/2016 00:00:00 AM	TABLE UPDATED IN SHEET NO. 3, 4	44296	SPR	DD

REV: PE0200