



Model 1006-CCOAP Right-Angle Wi-Fi Access Point Wall Bracket for Cisco 2600, 2700, 3500, 3600, & 3700 Series APs

Category: **H-Plane**



Many Wi-Fi and Small Cell AP manufacturers recommend that their APs be mounted in a horizontal orientation for optimal wireless coverage. In locations where the APs are to be mounted on the wall, Oberon's 1006 series H-Plane™ right angle wall brackets permit the AP to be mounted in the preferred horizontal orientation. With the 1006 series, the AP is partially recessed into the right-angle bracket, exposing only the antenna face of the AP, providing for the ideal combination of aesthetics and wireless coverage. Available for leading AP makes and models.

Patent Pending



Features & Benefits

- Conveniently and aesthetically install APs from leading vendors on walls
- Enables APs to be mounted in preferred horizontal orientation
- AP is partially recessed into bracket, providing aesthetic appearance
- Can be mounted directly over telecommunications outlet
- AP installs without lose hardware

Technical Specifications

- Design: Right-angle mounting bracket for securing APs on walls. Designed to mount the AP in the preferred horizontal orientation. Designs available for leading AP makes and models (see Styles table)
- AP is partially recessed into bracket, providing aesthetic appearance
- AP can be secured using manufacturer's locking features
- Construction: 12 ga. white powder-coated steel
- Size: See Styles Table





Measurements (Maximum values*):

- Width: 11 in.
- Height: 11 in.
- Depth: 2.5 in.
- Item Weight: 4 lbs.
- Shipping Weight: 6 lbs.

Includes

- (1) Right-Angle Bracket
- (1) AP mounting plate
- (2) hollow tip wall anchors
- (2) white plastic bolt head covers
- (1) Installation instructions

Documentation Links

-  [Spec Sheet](https://oberoninc.com/index.php?option=com_content&view=article&id=2494&Itemid=399) - oberoninc.com/index.php?option=com_content&view=article&id=2494&Itemid=399
-  [Installation Instructions](https://oberoninc.com/images/_Instructions/Oberon_Model_1006-CCOAP_Instructions.pdf) - oberoninc.com/images/_Instructions/Oberon_Model_1006-CCOAP_Instructions.pdf
-  [Customer Prints](https://oberoninc.com/images/_Customer_Prints/Oberon_Model_1006-CCOAP_Customer_Print.pdf) - oberoninc.com/images/_Customer_Prints/Oberon_Model_1006-CCOAP_Customer_Print.pdf
-  [SECTION 27_21_33 DATA COMMUNICATIONS WIRELESS ACCESS POINTS](https://oberoninc.com/images/WebDocs/SECTION_27_21_33_DATA_COMMUNICATIONS_WIRELESS_ACCESS_POINTS.pdf)
https://oberoninc.com/images/WebDocs/SECTION_27_21_33_DATA_COMMUNICATIONS_WIRELESS_ACCESS_POINTS.pdf

Additional Information







 For Oberon product CAD files, contact customer service





Configurations: Model 1006

Please specify style when ordering.

1006-

AP STYLE
(See Configurations)

SKU	Description	Style Size
 1006-AP225	Aruba Networks AP225	10.5 x 10.25 x 2.5 in.
 1006-AP305	Aruba Networks AP305	8.6 x 8.3 x 2.5 in.
 1006-AP315	Aruba Networks AP315	10.5 x 10.25 x 2.5 in.
 1006-AP325	Aruba Networks AP325	10.5 x 10.25 x 2.5 in.
 1006-AP335	Aruba Networks AP335, AP345	11.61 x 11 x 2.5 in.
 1006-CCOAP	Cisco 2600, 2700, 3500, 3600, 3700 Series APs	11 x 11 x 2.5 in.

	1006-CCOAP3800	Cisco 1830, 1850, 2800, 3800 Series APs	11 x 11 x 2.5 in.
	1006-HLA	Cisco AP with hyperlocation antenna	15 x 15 x 4 in.
	1006-EXT3935	Extreme Networks APs	11 x 11 x 2.5 in.
	1006-UBI	Ubiquiti UniFi APs	8.3 x 6.9 x 2.5 in.

Images and documents may depict similar models in the product series.