










Model 1016-C 18 in. Hi-Bar™ Plastic Wi-Fi Access Point Lock Box with Translucent Door

Category: **Hi-Bar**



Non-metallic Hi-Bar™ enclosure secures and protects APs, wireless routers, and multiple networking components in offices, hotels, retail locations and other indoor venues. This rugged polycarbonate plastic enclosure is virtually transparent to wireless signals so APs with integrated antennas or small detachable antennas may be protected. The box can be mounted directly over the telecom outlet, and power strip and cabling can be neatly concealed. Cable raceway or conduit can be conveniently terminated.



Features & Benefits

- Accommodates most vendors' APs with external antennas
- Locking, fully-hinged door
- Simplify code, industry directives, policy, and aesthetics compliance

Technical Specifications

- Design: AP enclosure designed to be surface mounted on hard-lid ceilings or walls. Designed to accommodate APs with integrated or non-detachable antennas and external antennas
- Performance: Ventilated, paintable, impact resistant polycarbonate plastic enclosure is virtually transparent to wireless signals
- Oberon Hi-Bar shaped locking, fully hinged door, keyed alike
- Universal T-bar for most vendors APs
- Opening in back allows for placement directly over outlet
- Twist outs in sidewalls for conduit or raceway
- Construction: UL 94-V0 Classified polycarbonate. Body is white, door is translucent, frosted
- Size: 12 x 18 x 5.15 in. (305 x 457 x 131 mm)

Measurements (Maximum values*):

- Width: 18 in.
- Height: 12 in.
- Depth: 5.15 in.
- Item Weight: 5 lbs.
- Shipping Weight: 6 lbs.

Includes

- (1) Unit
- (1) T-bar bracket
- (2) Keys for lock
- (2) 1/2 in. Nylon spacer
- (2) #6 x 7/8 in. screw
- (2) #6 x 1/4 in. screw
- Installation instructions







Available Accessories

- [39-1016-SPKRMNT](#) - Mounting bracket assembly for the Model 1016 series
- [39-1016-ANTPLATE](#) - Articulating Antenna Mount for Oberon Model 1016 Series


3D Interactive Models

3D [Model Viewer at oberoninc.com](#)

Documentation Links

-  [Spec Sheet](#) - oberoninc.com/index.php?option=com_content&view=article&id=1305&Itemid=399
-  [Installation Instructions](#) - oberoninc.com/images/_Instructions/Oberon_Model_1016-C_Instructions.pdf
-  [Customer Prints](#) - oberoninc.com/images/_Customer_Prints/Oberon_Model_1016-C_Customer_Print.pdf
-  [App Note - Wireless Coverage FAQ](#) - oberoninc.com/images/WebDocs/Application_Note_Wireless_Coverage_FAQ.pdf
-  [Positioning the Wireless Router](#) - oberoninc.com/images/WebDocs/Positioning_your_wireless_router_with_Oberon_Network_Cabinet.pdf
-  [SECTION 27_21_33 DATA COMMUNICATIONS WIRELESS ACCESS POINTS](#)
https://oberoninc.com/images/WebDocs/SECTION_27_21_33_DATA_COMMUNICATIONS_WIRELESS_ACCESS_POINTS.pdf

Additional Information

 For Oberon product CAD files, contact customer service

Configurations: Model 1016

Please specify configuration when ordering.

1016-		
	DOOR STYLE 00 (Opaque White) C (Frosted Clear)	OPTIONAL BRACKET ANTPLATE (Articulating mount for directional antenna) SPKRMNT (Mounting kit to attach to speaker mount tripods) (otherwise leave blank)

Examples:


<u>1016-00-ANTPLATE-SPKRMNT</u>	Model 1016 with opaque white door and both articulating antenna mount and speaker tripod mounting kit
---------------------------------	---

SKU	Description
-----	-------------




1016-00

18 in. ABS AP Lock-box: Solid door



1016-C

18 in. ABS AP Lock-box: T-bar, Translucent door



1016-00-ANTPLATE

18 in. Polycarbonate AP Lock-box: Solid door with articulating antenna bracket



1016-C-ANTPLATE

18 in. Polycarbonate AP Lock-box: Translucent door with articulating antenna bracket

Images and documents may depict similar models in the product series.