



Features

Universal Tool-Free Mounting^A designed for ease-of-use and rapid deployment.

UL compliant industrial control panel standards and flame retardant ABS plastic that meets the most demanding requirement.

Patent Snappable Design offers greater flexibility when applying on different sizes of RU height.

Scratch Resistance Textured Surface that offers both aesthetic appearance and industrial durability.

Recyclable Lightweight Plastic that is both durable and environmentally friendly.


^A: Pre-installed with 1-pair of universal catch every 3 -SU. Knockouts can be removed and installed with universal catches as required.

The best 10SU blanking panel that fits any 21" SU rack cabinet.


EZIBLANK® 10-SU Blanking Panel is a well received innovative Australian data centre product that is made of the highest quality of flame retardant ABS plastic. The latest addition of EziBlank® Blanking Panels is assembled with specially designed knob latches that are made of medical grade thermoplastic elastomer rubber. The panel also has moulded positioning studs to assist with the alignment of the panel so that it can be installed easily onto any 21" SU ETSI (ETS 300 119) server rack regardless of the type of mounting hole. To simplify installation, our 10-SU Blanking Panels are pre-installed with 4 pairs of universal catch (1-pair for every 3-SU), knockouts can be removed and installed with universal catches as required.

The modular feature of the EziBlank® 10-SU Blanking Panels makes it the perfect telco rack accessory for data centre operators where separated panels can be installed and reused onto different SU heights of unused space.

Locking mechanism:



Dimensions:



Specifications:

Physical

Dimensions:	249.2 x 494.5 x 19 (10-SU Panel, in mm)
Weight:	360g per panel.
Packaging:	Pack of 10 - 550 x 295 x 125 (mm), 4.5kg Pack of 5 - 550 x 295 x 80 (mm), 3.0kg
Material:	Panel: Impact resistant, water resistant, anti-static ABS plastic Universal Catch: Ethylene Propylene Thermoplastic elastomer (EPTR)
Colours:	Black, White, Grey. For custom colour, please contact us for assistance.

Conformance

Standards:	ETSI (ETS 300 119)
Environmental:	RoHS
Toxicity	Non toxic and resistant to chemicals
Reliability	UL-508A Standard for Industrial Control Panels for the main panel.

Ordering Information:

- BKPNL02U-21
- EZIBLANK® 10-SU 21" Blanking Panel (Universal, Black, Pack of 10)
- BKPNL02U-5A21-G
- EZIBLANK® 10-SU 21" Blanking Panel (Universal, Grey, Pack of 5)
- BKUC01-40
- EZIBLANK® Replacement Universal Catch (Pack of 40)



Data Centre, Power Monitoring & Air Flow Management Specialists.

Telephone +61 (02)9690 2852
 Facsimile +61 (02)9698 6952
 enquiries@idcsolutions.com.au
 www.idcsolutions.com.au