Spider Fan-Out Kit, Base, 2 Slot



Part Number: SFK-BASE-2SLOT

Spider Fan-Out Kit, Base, 2 Slot



Specifications

Mechanical Specifications - Fan-Out Kit	
Furcation Length	121 mm (4.76 in)
Outer Diameter	3 mm (0.12 in)
Min. cable outer diameter	4.6 mm (0.18 in)
Max. cable outer diameter	7.1 mm (0.28 in)

General	Specifications
GCHCIGI	3 pecifications

Product Type	Fan-out Kits
--------------	--------------

Ordering Information

	Spider body 24 F, fan-out shell 24 F, compression nut 24 F, sheath clamp 24 F, sheath clamp 12
	F, bushing insert 24 F (large), bushing insert 24 F (medium), bushing insert 24 F (small), cable
	clamp, two central member clamps, flat washer, o-ring, three blank plastic plugs

Units per 1/1 Delivery

Standards	
RoHS	Free of hazardous substances according to RoHS 2011/65/EU
Approvals and Listings	USDA Rural Development Programs

Spider Fan-Out Kit, Base, 2 Slot





Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2020 Corning Optical Communications. All rights reserved.