

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARALDITE® 2012 HARDENER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Adhesives
Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA
Address : Everslaan 45
3078 Everberg
Belgium
Telephone : +41 61 299 20 41
Telefax : +41 61 299 20 40
E-mail address of person : Global_Product_EHS_AdMat@huntsman.com
responsible for the SDS

1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234
France ORFILA: +33(0)145425959
ASIA: +65 6336-6011
China: +86 20 39377888
+86 532 83889090
India: + 91 22 42 87 5333
Australia: 1800 786 152
New Zealand: 0800 767 437
USA: +1/800/424.9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|------------------------------------------------|----------------------------------------------------------|
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Long-term (chronic) aquatic hazard, Category 3 | H412: Harmful to aquatic life with long lasting effects. |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006


HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

Version 1.3 Revision Date: 04.03.2021 SDS Number: 400001009176 Date of last issue: 23.01.2020
Date of first issue: 31.08.2015

Print Date 20.07.2021

| | | | |
|--------------------------|---|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard pictograms | : |  | |
| Signal word | : | Warning | |
| Hazard statements | : | H317 H319 H412 | May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. |
| Precautionary statements | : | Prevention: P261 P273 P280 Response: P333 + P313 P337 + P313 P362 + P364 | Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. |

Hazardous components which must be listed on the label:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|--------------------------------------------|-------------------------------------------------------|------------------------------------------|--------------------------|
| 2,2'-[1,2-Ethanediy]bis(oxy)]bis(ethanethi | 14970-87-7 239-044-2 | Acute Tox. 4; H302 Acute Tox. 4; H332 | >= 2.5 - < 10 |

ARALDITE® 2012 HARDENER

Version 1.3 Revision Date: 04.03.2021 SDS Number: 400001009176 Date of last issue: 23.01.2020
Date of first issue: 31.08.2015

Print Date 20.07.2021

| | | | |
|----------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------|
| ol) | 01-2120768482-47 | Aquatic Chronic 2; H411 | |
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | 10563-29-8 234-148-4 01-2119970376-29 | Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 | >= 1 - < 3 |
| 2,4,6-tris(dimethylaminomethyl)phenol | 90-72-2 202-013-9 603-069-00-0 01-2119560597-27 | Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 | >= 1 - < 3 |
| N,N,4-trimethylpiperazine-1-ethylamine | 104-19-8 203-183-7 01-2120785093-51 | Acute Tox. 3; H301 Acute Tox. 4; H312 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | >= 1 - < 2.5 |
| n-butyl acetate | 123-86-4 204-658-1 607-025-00-1 | Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) EUH066 | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

Version 1.3 Revision Date: 04.03.2021 SDS Number: 400001009176 Date of last issue: 23.01.2020
Date of first issue: 31.08.2015

Print Date 20.07.2021

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---------------------|------------|-------------------------------|----------------------------------|--------------|
| n-butyl acetate | 123-86-4 | TWA | 150 ppm 724 mg/m ³ | GB EH40 |
| | | STEL | 200 ppm 966 mg/m ³ | GB EH40 |
| | | STEL | 150 ppm 723 mg/m ³ | 2019/1831/EU |
| Further information | Indicative | | | |
| | | TWA | 50 ppm 241 mg/m ³ | 2019/1831/EU |
| Further information | Indicative | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------------------------------------------|-----------|-----------------|----------------------------|------------------------|
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | Workers | Inhalation | Long-term systemic effects | 3.7 mg/m ³ |
| | Workers | Inhalation | Acute systemic effects | 7.5 mg/m ³ |
| | Workers | Inhalation | Long-term local effects | 3.7 mg/m ³ |
| | Workers | Inhalation | Acute local effects | 7.5 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 0.67 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 0.65 mg/m ³ |
| | Consumers | Inhalation | Long-term local effects | 0.65 mg/m ³ |
| | Consumers | Oral | Long-term systemic effects | 0.2 mg/kg |
| N,N,4-trimethylpiperazine-1-ethylamine | Workers | Inhalation | Long-term systemic effects | 0.59 mg/m ³ |
| | Workers | Dermal | Long-term systemic effects | 0.167 mg/kg |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|----------------|---------------------------|-------|
|----------------|---------------------------|-------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

Version
1.3

Revision Date:
04.03.2021

SDS Number:
400001009176

Date of last issue: 23.01.2020
Date of first issue: 31.08.2015

Print Date 20.07.2021

| | | |
|----------------------------------------------------|---------------------------|--------------------------------|
| 2,4,6-tris(dimethylaminomethyl)phenol | Fresh water | 0.084 mg/l |
| | Marine water | 0.008 mg/l |
| Remarks: | Assessment Factors | |
| | Sewage treatment plant | 0.2 mg/l |
| | Assessment Factors | |
| | Freshwater - intermittent | 0.84 mg/l |
| | Fresh water | 0.084 mg/l |
| | Marine water | 0.008 mg/l |
| | Assessment Factors | |
| | Sewage treatment plant | 0.2 mg/l |
| | Assessment Factors | |
| | Freshwater - intermittent | 0.84 mg/l |
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | Marine water | 0.92 µg/l |
| | Freshwater - intermittent | 92 µg/l |
| | Sewage treatment plant | 18.1 mg/l |
| | Fresh water sediment | 0.0336 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.0034 mg/kg dry weight (d.w.) |
| | Soil | 0.0013 mg/kg dry weight (d.w.) |
| N,N,4-trimethylpiperazine-1-ethylamine | Fresh water | 0.029 mg/l |
| | Marine water | 0.0029 mg/l |
| | Fresh water sediment | 0.118 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.012 mg/kg dry weight (d.w.) |
| | Sewage treatment plant | 100 mg/l |
| | Soil | 0.0066 mg/kg dry weight (d.w.) |

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

| | | |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | : | butyl-rubber |
| Material | : | Ethyl Vinyl Alcohol Laminate (EVAL) |
| Break through time | : | > 8 h |
| Material | : | Nitrile rubber |
| Material | : | Neoprene gloves |
| Break through time | : | 10 - 480 min |
| Remarks | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : | Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Equipment should conform to EN 14387 |
| Filter type | : | Organic vapour type (A) |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | | |
|------------------------------|---|---------------------------------------------------------------------------------------------------|
| Physical state | : | liquid |
| Colour | : | light yellow |
| Odour | : | unpleasant |
| Odour Threshold | : | No data is available on the product itself. |
| pH | : | No data is available on the product itself. |
| Melting point/freezing point | : | No data is available on the product itself. |
| Boiling point | : | > 200 °C |
| Flash point | : | > 100 °C Method: Pensky-Martens closed cup, closed cup 102 °C Method: Cleveland open cup |
| Evaporation rate | : | No data is available on the product itself. |
| Flammability (solid, gas) | : | No data is available on the product itself. |

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

| | | |
|--------------------------------------------------|---|---------------------------------------------|
| Burning rate | : | No data is available on the product itself. |
| Upper explosion limit / Upper flammability limit | : | No data is available on the product itself. |
| Lower explosion limit / Lower flammability limit | : | No data is available on the product itself. |
| Vapour pressure | : | < 0.01 hPa (20 °C) |
| Relative vapour density | : | No data is available on the product itself. |
| Relative density | : | No data is available on the product itself. |
| Density | : | 1.165 g/cm ³ (25 °C) |
| Solubility(ies) Water solubility | : | practically insoluble (20 °C) |
| Solubility in other solvents | : | No data is available on the product itself. |
| Partition coefficient: n-octanol/water | : | No data is available on the product itself. |
| Auto-ignition temperature | : | No data is available on the product itself. |
| Decomposition temperature | : | > 200 °C |
| Viscosity Viscosity, dynamic | : | 20,000 - 40,000 mPa.s (25 °C) |
| Explosive properties | : | No data is available on the product itself. |
| Oxidizing properties | : | No data is available on the product itself. |

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Carbon oxides
Burning produces noxious and toxic fumes.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity - Product : LD50 (Rat, male and female): 2,631 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity - Product : Acute toxicity estimate : > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity - Product : LD50 (Rat, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation

Product:

Species: Rabbit
Result: No skin irritation
Remarks: Moderate skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: Mild eye irritation
Remarks: Mild eye irritation

Respiratory or skin sensitisation

Components:

2,2'-[1,2-Ethanediyldis(oxy)]bis(ethanethiol):
Test Type: Maximisation Test
Exposure routes: Skin
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Test Type: Maximisation Test
Exposure routes: Skin
Species: Guinea pig
Method: OECD Test Guideline 406
Result: The product is a skin sensitiser, sub-category 1B.
GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:
Exposure routes: Skin
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

N,N,4-trimethylpiperazine-1-ethylamine:
Result: Did not cause sensitisation on laboratory animals.

n-butyl acetate:
Exposure routes: Skin
Species: Guinea pig
Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Concentration: 5000 ug/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Components:

N,N,4-trimethylpiperazine-1-ethylamine:
Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Dose: 175/350/560 mg/kg bw /day
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity- : No data available
Assessment

Carcinogenicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:
Species: Mouse, male
Application Route: Dermal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Exposure time: 20 month(s)
Dose: 1.25/56.3 mg/animal
Frequency of Treatment: 3 daily
No observed adverse effect level: ≥ 56.3 mg/kg body weight
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Carcinogenicity - : No data available
Assessment

Reproductive toxicity

Components:

2,2'-[1,2-Ethanediybis(oxy)]bis(ethanethiol):

Effects on fertility : Species: Rat, male and female
Dose: 50, 100, 150 mg/kg
General Toxicity - Parent: No observed adverse effect level:
50 mg/kg body weight
General Toxicity F1: No observed adverse effect level: 50
mg/kg body weight
Method: OECD Test Guideline 421

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Test Type: OECD Test Guideline 422
Species: Rat, male and female
Application Route: Oral
Dose: 5, 15 and 50 mg/kg bw/d
General Toxicity - Parent: No observed adverse effect level:
15 mg/kg body weight
General Toxicity F1: No observed adverse effect level: 15
mg/kg body weight
Method: OECD Test Guideline 422
Result: Animal testing did not show any effects on fertility.
GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 422
Remarks: No significant adverse effects were reported

N,N,4-trimethylpiperazine-1-ethylamine:

Test Type: OECD Test Guideline 422
Species: Rat, male and female
Dose: 0, 10, 25, 50 mg/kg
Frequency of Treatment: 7 days/week
General Toxicity - Parent: No observed adverse effect level:
50 mg/kg body weight
General Toxicity F1: No observed adverse effect level: 50
mg/kg body weight
Fertility: No observed adverse effect level: 50 mg/kg body
weight
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

n-butyl acetate:

Species: Rat, male and female
Fertility: No observed adverse effect concentration
(Mating/Fertility): 2,000 ppm
Method: OECD Test Guideline 416

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on foetal development : Species: Rat, male and female
Application Route: Oral
Dose: 5, 15 and 50 mg/kg bw/d
General Toxicity Maternal: No observed adverse effect level:
15 mg/kg body weight
Method: OECD Test Guideline 422
Result: Not classified
GLP: yes

n-butyl acetate:

Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: Inhalation
Developmental Toxicity: No observed adverse effect
concentration Parent: 1,500 ppm
Method: OECD Test Guideline 414
Result: No effects on fertility and early embryonic
development were detected.

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.

STOT - single exposure

Components:

n-butyl acetate:
Exposure routes: Inhalation
Target Organs: Narcotic effects
Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

2,2'-[1,2-Ethanedylbis(oxy)]bis(ethanethiol):

Species: Rat, male and female
NOAEL: 60 mg/kg
Application Route: Oral
Dose: 20, 60, 180 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Method: OECD Test Guideline 407

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Rat, male and female

NOEC: 550

Application Route: Inhalation

Test atmosphere: vapour

Exposure time: 3 w 6 h Number of exposures: 5 d/w

Dose: 550 mg/m³

Method: Subchronic toxicity

Remarks: Based on data from similar materials

Species: Mouse, male

NOAEL: >= 56.3

Application Route: Skin contact

Number of exposures: 3 d

Method: Chronic toxicity

Remarks: Based on data from similar materials

Species: Rat, male and female

NOAEL: 1000

Application Route: Oral

Exposure time: 90 d Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

2,4,6-tris(dimethylaminomethyl)phenol:

Species: Rat, male and female

NOEL: 15 mg/kg

Application Route: Ingestion

Exposure time: 1,032 h Number of exposures: 7 d

Method: Subacute toxicity

N,N,4-trimethylpiperazine-1-ethylamine:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Oral

Exposure time: 6 - 10 weeks Number of exposures: 7 days/week

Dose: 0, 10, 25, 50mg/kg bw/day

Method: OECD Test Guideline 422

GLP: yes

n-butyl acetate:

Species: Rat, male and female

NOAEL: 2.4 mg/l

Application Route: Inhalation

Test atmosphere: vapour

Repeated dose toxicity - : No data available
Assessment

Aspiration toxicity

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

2,2'-[1,2-Ethanediy]bis(oxy)]bis(ethanethiol):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 5.7 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.76 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.11 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- Ecotoxicology Assessment
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.
- N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:
- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.2 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 21 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes
- NOEC (Selenastrum capricornutum (green algae)): 5.7 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 181 mg/l
Exposure time: 16 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: DIN 38 412 Part 8
GLP: no

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates : LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Test substance: Marine water

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

N,N,4-trimethylpiperazine-1-ethylamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 29 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 66 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 29 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Method: OECD Test Guideline 209

GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

n-butyl acetate:

Toxicity to fish : EC50 (Menidia beryllina (Silverside)): 185 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 18 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 : 205 mg/l
Exposure time: 24 h

EC50 : 44 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 674.7 mg/l
Exposure time: 72 h

Toxicity to microorganisms : IC0 : 1,200 mg/l
Exposure time: 24 h

12.2 Persistence and degradability

Components:

2,2'-[1,2-Ethanediybis(oxy)]bis(ethanethiol):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 38.2 mg/l
Result: Not biodegradable
Biodegradation: < 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 100 %
Related to: Dissolved organic carbon (DOC)
Exposure time: 28 d
Method: OECD Test Guideline 301A
GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 2 mg/l
Result: Not biodegradable
Biodegradation: 4 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

Exposure time: 28 d
Method: OECD Test Guideline 301D

N,N,4-trimethylpiperazine-1-ethylamine:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

n-butyl acetate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Partition coefficient: n-octanol/water : log Pow: -0.56 (25 °C)
pH: 11.6
Method: OECD Test Guideline 107

2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n-octanol/water : Pow: ≥ 0.219 (21.5 °C)
log Pow: -0.66 (21.5 °C)
Method: OPPTS 830.7550

N,N,4-trimethylpiperazine-1-ethylamine:

Partition coefficient: n-octanol/water : log Pow: -0.591 (21 °C)
pH: 9.6

n-butyl acetate:

Bioaccumulation : Bioconcentration factor (BCF): 4 - 14

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

ADR

Not regulated as dangerous goods

RID

Not regulated as dangerous goods

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Not applicable
(Annex XIV)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

| | |
|-------|----------------------------------------------------------------------------------------------|
| DSL | : This product contains one or several components that are not on the Canadian DSL nor NDSL. |
| AIIC | : On the inventory, or in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |
| ENCS | : On the inventory, or in compliance with the inventory |
| KECI | : On the inventory, or in compliance with the inventory |
| PICCS | : Not in compliance with the inventory |
| IECSC | : On the inventory, or in compliance with the inventory |
| TCSI | : On the inventory, or in compliance with the inventory |
| TSCA | : On or in compliance with the active portion of the TSCA inventory |

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

SECTION 16: Other information

Full text of H-Statements

| | |
|--------|---------------------------------------------------------|
| H226 | : Flammable liquid and vapour. |
| H301 | : Toxic if swallowed. |
| H302 | : Harmful if swallowed. |
| H312 | : Harmful in contact with skin. |
| H314 | : Causes severe skin burns and eye damage. |
| H317 | : May cause an allergic skin reaction. |
| H318 | : Causes serious eye damage. |
| H332 | : Harmful if inhaled. |
| H336 | : May cause drowsiness or dizziness. |
| H411 | : Toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects. |
| EUH066 | : Repeated exposure may cause skin dryness or cracking. |

Full text of other abbreviations

| | |
|---------------------|------------------------------------------------------------------------------------------------------------------------|
| Acute Tox. | : Acute toxicity |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Dam. | : Serious eye damage |
| Flam. Liq. | : Flammable liquids |
| Skin Corr. | : Skin corrosion |
| Skin Sens. | : Skin sensitisation |
| STOT SE | : Specific target organ toxicity - single exposure |
| 2019/1831/EU | : Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values |
| GB EH40 | : UK. EH40 WEL - Workplace Exposure Limits |
| 2019/1831/EU / TWA | : Limit Value - eight hours |
| 2019/1831/EU / STEL | : Short term exposure limit |
| GB EH40 / TWA | : Long-term exposure limit (8-hour TWA reference period) |
| GB EH40 / STEL | : Short-term exposure limit (15-minute reference period) |

Further information

Classification of the mixture:

| | |
|-------------------|------|
| Eye Irrit. 2 | H319 |
| Skin Sens. 1 | H317 |
| Aquatic Chronic 3 | H412 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method |
| Based on product data or assessment |

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2012 HARDENER

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 23.01.2020 |
| 1.3 | 04.03.2021 | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 20.07.2021

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.