

# ECAM External Cable Assembly Module BPEO

## ECAM D18 Double-Entry Cable Sealing for mid span access configuration for cable from 12 to 15 mm for use with ECAM D18 Main Body

CORNING

**Part Number:**  
**FQ100081956**

BPEO Fiber Closures “solution” is build on a range of closures with various front sides designed with hexagonal ports and oval ports.

The sealing and the retention of the fibre cables on those closures is accomplished thanks to cable entry called “ECAM” as diminutive of “External Cable Assembly Module”. Those ECAM” are independently fixed on each individual port of the closure front side.

### Features and Benefits

#### **Cable Entry concept "ECAM" (External Cable Assembly Module)**

Cable preparation away from the closure – sealing and anchoring in a single device - plug on front side

#### **Cable entry design "single ECAM" for cables various shape (Round, Pixian , ROC™, SST)**

Single ECAM range to be used in adequate hexagonal ports of the BPEO Closures range , respectively "S6/S7", "S9,5", "S12", "S18"

#### **Cable Entry design "double ECAM" for uncut feeder cables various shape round**

Double ECAM range to be used in adequate oval ports of the BPEO Closures range , respectively "D18", "D20", "D27"

#### **Specific "ECAM" kit content to manage fiber cables with central strength membres**

Specific kit to be used with MiniXtend® and/or ALTOS® cables from Corning®



# ECAM External Cable Assembly Module BPEO ECAM D18 Double-Entry Cable Sealing for mid span access configuration for cable from 12 to 15 mm for use with ECAM D18 Main Body

CORNING

## Specifications

### General Specifications

Brand	BPEO
Cable type	Round

### Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

### Design

Main cable diameter	12 - 15 mm
Main cable oval port count	2
Sealing type	Rubber O Ring

### Ordering Information

Product Number	FQ100081956
Units per delivery	10/1



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany  
+00 800 2675 4641 • FAX: • [www.corning.com/opcomm/emea](http://www.corning.com/opcomm/emea)